

- **Air compressors**  
*Compressori d'aria*
- **Air tool kits**  
*Kits accessori*
- **Tool boxes**  
*Valigette*
- **Air tools**  
*Accessori*
- **Vacuum cleaners**  
*Aspiratori*
- **Tool chests**  
*Carrelli portautensili*





# Air Boutique



Type Tipo	Cod.	Dimensions Dimensione	Pz.	€
Air Boutique*	9994340000	2100x2100x2700	1	580,00

\* supply without products  
\* fornita senza prodotti

# Air Compressor MB1

Ergonomic handle  
Maniglia ergonomica

On-off switch  
Interruttore on/off

Plastic locks  
Serrature in plastica

Built in oil free compressor  
Compressore autolubrificato incorporato



Tool storage:  
hose, inflating pistol  
& nozzles  
Vano portaoggetti:  
tubo spirale, pistola di  
gonfiaggio e ugelli



CE

Cod. 1061010000  
Barcode 8020119087305  
Custom nr 84148022



Type	Volt/Hz/Ph	Flow				Pressure		Power		kg	pcs pz.	Truck/Pallet camion
		l	l/min	CFM	m³/h	bar	psi	HP	Watt			
MB1*	230/50/1	-	160	5,7	9,6	8	116	1.5	1100	6	10	10

\* available version Volt/Hz/Ph 110/60/1 - 220/60/1  
\* disponibile versione Volt/Hz/Ph 110/60/1 - 220/60/1



espositore 10 pezzi  
10 pcs display

# Air Compressor MB3000

Oil free and tankless  
*Autolubrificato e senza serbatoio*

Universal air outlet  
*Uscita aria universale*

Hand carry  
*Portatile*

Totally protected  
*Protezione totale*



Solid shock absorber feet  
*Piedini antiurto*

On-off switch  
*Interruttore on-off*



CE

Cod. 9107410000  
Barcode 8020119085721  
Custom nr 84148022



Type	Volt/Hz/Ph	Flow				Pressure		Power		kg	Truck/Pallet camion	
		l	l/min	CFM	m <sup>3</sup> /h	bar	psi	HP	Watt		pcs pz.	Q.ty Q.tà
MB3000*	230/50/1	-	160	5,7	9,6	8	116	1.5	1100	5	60	33

\* available version Volt/Hz/Ph 110/60/1 - 220/60/1

\* disponibile versione Volt/Hz/Ph 110/60/1 - 220/60/1



# Air Compressor MBL6



Cod. 9995320000  
Barcode 8020119094372  
Custom nr 84148022



Type	Volt/Hz/Ph							Truck/Pallet camion				
		l	l/min	CFM	m <sup>3</sup> /h	bar	psi	HP	Watt	kg	pcs pz.	Q.ty Q.tà
MBL6*	230/50/1	6	33	1,16	2	7	100	0,4	300	7	42	30

\* disponibile versione Volt/Hz/Ph 110/60/1  
\* available version Volt/Hz/Ph 110/60/1



# Air Compressor

## MB6



Cod. 1020251000  
Barcode 8020119076491  
Custom nr 84148022



Type	Volt/Hz/Ph							Truck/Pallet camion				
		l	l/min	CFM	m <sup>3</sup> /h	bar	psi	HP	Watt	kg	pcs pz.	Q.ty Q.tà
MB6*	230/50/1	6	50	1,77	3	8	116	0,38	280	8	40	25

\* available version Volt/Hz/Ph 110/60/1 - 220/60/1  
\* disponibile versione Volt/Hz/Ph 110/60/1 - 220/60/1



# Air Compressor MCX6 U



Ergonomic handle  
Maniglia ergonomica

Tool hooks  
Gancio accessori

Oil free  
Autolubrificato

2 Pressure gauges  
2 Manometri

6 lt air receiver  
Serbatoio 6 lt

Totally protected  
Protezione totale

Universal air outlet  
Uscita aria universale

Pressure regulator  
Regolatore di pressione

On-off switch  
Interruttore on/off



Cod. 9109460000  
Barcode 8020119097106  
Custom nr 84148022



Type	Volt/Hz/Ph							Truck/Pallet camion				
		l	l/min	CFM	m <sup>3</sup> /h	bar	psi	HP	Watt	kg	pcs pz.	Q.ty Q.tà
MCX6 U*	230/50/1	6	160	5,7	9,6	8	116	1,5	1100	10	32	28

\* available version Volt/Hz/Ph 110/60/1 - 220/60/1  
\* disponibile versione Volt/Hz/Ph 110/60/1 - 220/60/1





# Air Compressor MCX7

2 Pressure gauges  
2 Manometri

Portable  
Portatile

Ergonomic handle extensible  
Maniglia ergonomica estensibile

Compressed air outlet  
Uscita aria compressa

Pressure regulator  
Regolatore di pressione

Cup 6 Lt  
Serbatoio 6 Lt

Rubber wheels  
Ruote in gomma

Tool storage  
Scomparto utensili

On-off switch  
Interruttore on/off

Oil free  
Autolubrificato

Solid shock absorber feet  
Piedini antiurto

CE



Cod. 9994470000  
Barcode 8020119086667  
Custom nr 84148022



Type	Volt/Hz/Ph												Truck/Pallet camion
		ℓ	ℓ/min	CFM	m <sup>3</sup> /h	bar	psi	HP	Watt	kg	pcs pz.	Q.ty Q.tà	
MCX7*	230/50/1	6	180	6,4	10,8	8	116	1,5	1100	16	24	30	

\* available version Volt/Hz/Ph 110/60/1 - 220/60/1

\* disponibile versione Volt/Hz/Ph 110/60/1 - 220/60/1





## MCX24 U

Cod. 9107830000  
Barcode 8020119087978  
Custom nr 84148022



Type	Volt/Hz/Ph	Air Flow		Pressure		Power		kg	pcs pz.	Truck/Pallet camion
		ℓ	ℓ/min CFM m³/h	bar	psi	HP	Watt			
MCX24 U*	230/50/1	24	160 5,7 9,6	8	116	1,5	1100	19,5	18	25

\* available version Volt/Hz/Ph 110/60/1 - 220/60/1  
\* disponibile versione Volt/Hz/Ph 110/60/1 - 220/60/1



## MCX50 U

Cod. 9107840000  
Barcode 8020119087985  
Custom nr 84148022



Type	Volt/Hz/Ph	Air Flow		Pressure		Power		kg	pcs pz.	Truck/Pallet camion
		ℓ	ℓ/min CFM m³/h	bar	psi	HP	Watt			
MCX50 U*	230/50/1	50	100 5,7 9,6	8	116	1,5	1100	27,5	12	25

\* available version Volt/Hz/Ph 110/60/1 - 220/60/1  
\* disponibile versione Volt/Hz/Ph 110/60/1 - 220/60/1



## MCX90 U

Cod. 9107850000  
Barcode 8020119087992  
Custom nr 84148022



Type	Volt/Hz/Ph	Air Flow		Pressure		Power		kg	pcs pz.	Truck/Pallet camion
		ℓ	ℓ/min CFM m³/h	bar	psi	HP	Watt			
MCX90 U*	230/50/1	90	180 6,4 10,8	8	116	2	1500	34,5	12	25

\* available version Volt/Hz/Ph 110/60/1 - 220/60/1  
\* disponibile versione Volt/Hz/Ph 110/60/1 - 220/60/1



# Air Compressors

## MB 24 - MB 50

Direct driven with full cast iron cylinder  
*Motore coassiale con cilindro in ghisa*

Pressure regulator  
*Regolatore di pressione*

Universal air outlet  
*Uscita aria universale*

Plastic shroud protects hot and rotating parts  
*Carenatura in plastica a protezione delle parti calde ed in movimento*

Large oil crankcase for long life operation  
*Ampio carter olio per durare nel tempo*

2 Pressure gauges  
*2 Manometri*

Rubber wheels  
*Ruote in gomma*






## MB 24

Cod. 9107660000  
Barcode 8020119088104  
Custom nr 84148022

Type	Volt/Hz/Ph							Truck/Pallet camion				
		ℓ	ℓ/min	CFM	m³/h	bar	psi	HP	kW	kg	pcs pz.	Q.ty Q.tà
MB 24*	230/50/1	24	140	5	8,4	8	116	2	1,5	27	21	25

\* available version Volt/Hz/Ph 110/60/1 - 220/60/1  
\* disponibile versione Volt/Hz/Ph 110/60/1 - 220/60/1



Type	L		P		H	
	mm	ins	mm	ins	mm	ins
MB 24	620	2,4	270	1,1	580	2,3




## MB 50

Cod. 9107990000  
Barcode 8020119088197  
Custom nr 84148022

Type	Volt/Hz/Ph							Truck/Pallet camion				
		ℓ	ℓ/min	CFM	m³/h	bar	psi	HP	kW	kg	pcs pz.	Q.ty Q.tà
MB 50*	230/50/1	50	140	5	8,4	8	116	2	1,5	31	12	25

\* available version Volt/Hz/Ph 110/60/1 - 220/60/1  
\* disponibile versione Volt/Hz/Ph 110/60/1 - 220/60/1



Type	L		P		H	
	mm	ins	mm	ins	mm	ins
MB 24	850	3,4	340	1,3	680	2,7



# Air Compressors

## MCX 24 - MCX 50

Direct driven with full cast iron cylinder  
*Motore coassiale con cilindro in ghisa*

Ergonomic rubber handle  
*Manico in gomma ergonomico*

Pressure regulator  
*Regolatore di pressione*

Universal air outlet  
*Uscita aria universale*

2 Pressure auges  
*2 Manometri*

Large oil crankcase for long life operation  
*Ampio carter olio per durare nel tempo*

Double feet with rubber shock absorber  
*Doppio piede con gommino ammortizzante*

Large wheels heightens portability  
*Grandi ruote per facilitarne lo spostamento*

Plastic shroud protects hot and rotating parts  
*Carenatura in plastica a protezione delle parti calde ed in movimento*




## MCX 24

Cod. 9107960000  
Barcode 8020119088166  
Custom nr 84148022



Type	Volt/Hz/Ph							Truck/Pallet camion				
		l	l/min	CFM	m³/h	bar	psi	HP	kW	kg	pcs pz.	Q.ty Q.tà
MCX 24*	230/50/1	24	170	7,3	12,3	8	116	2	1,5	27	18	25

\* available version Volt/Hz/Ph 110/60/1 - 220/60/1  
\* disponibile versione Volt/Hz/Ph 110/60/1 - 220/60/1



Type	L		P		H	
	mm	ins	mm	ins	mm	ins
MB 24	700	2,7	380	1,5	610	2,4


## MCX 50

Cod. 9107970000  
Barcode 8020119088173  
Custom nr 84148022



Type	Volt/Hz/Ph							Truck/Pallet camion				
		l	l/min	CFM	m³/h	bar	psi	HP	kW	kg	pcs pz.	Q.ty Q.tà
MCX 50*	230/50/1	50	170	7,3	12,3	8	116	2	1,5	34	12	25

\* available version Volt/Hz/Ph 110/60/1 - 220/60/1  
\* disponibile versione Volt/Hz/Ph 110/60/1 - 220/60/1



Type	L		P		H	
	mm	ins	mm	ins	mm	ins
MB 24	835	3,3	420	1,6	660	2,6

# Air Compressors

## MB 50 B - MB 100 B MB 150 B - MB 200 B



**MB 50 B**

Cod. 1431620000

Barcode 8020119097304

Custom nr 84148022

**MB 100 B**

Cod. 1483910000

Barcode 8020119093924

Custom nr 84148022

**MB 150 B**

Cod. 1434540000

Barcode 8020119097243

Custom nr 84148022

**MB 200 B**

Cod. 1437130000

Barcode 8020119094327

Custom nr 84148022

**MB 200/3B**

Cod. 1488720000

Barcode 8020119097250

Custom nr 84148022

Type	Volt/Hz/Ph											Truck/Pallet camion
		l	l/min	CFM	cil./st.	bar	psi	HP	kW	kg	pz./pcs	
MB 50 B*	230/50/1	50	250	8,8	2/1	10	145	2	1,5	51	12	25
MB 100 B*	230/50/1	100	250	8,8	2/1	10	145	2	1,5	58	6	22
MB 150 B*	230/50/1	150	250	8,8	2/1	10	145	2	1,5	85	6+4	10+10
MB 200 B	230/50/1	200	250	8,8	2/1	10	145	2	1,5	98	2	34
MB 200/3 B*	230/50/1	200	350	12,4	2/1	10	145	3	2,25	98	2	34

\* available version Volt/Hz/Ph 220/60/1 - 220/60/3 - 230/50/3 - 380/60/3 - 400/50/3  
 \* disponibile versione Volt/Hz/Ph 220/60/1 - 220/60/3 - 230/50/3 - 380/60/3 - 400/50/3





# Air Compressors

## MCX 50 B - MCX 100 B



2 Pressure gauges  
2 Manometri

Ergonomic handle  
Manico ergonomico

Automatic belt tensioner  
Tensionatore automatico

Patented Controlled Cooling System  
Sistema di raffreddamento controllato brevettato

Low noise operation  
Funzionamento silenzioso

Cast iron cylinder  
Cilindro in ghisa

Easy start valve  
Valvola per facilitare l'avviamento

Oil lubricated  
Lubrificato ad olio



Double feet with rubber shock absorber  
Doppio piede con gommino ammortizzante

Larger oil glass  
Spia di grandi dimensioni

Large wheels heightens portability  
Grandi ruote per facilitarne lo spostamento

Metal bearing cover  
Coperchio dei cuscinetti in metallo

CE

**MCX 50 B**

Cod. 1458893000

Barcode 8020119056097

Custom nr 84148022

**MCX 100**

Cod. 1468943000

Barcode 8020119054000

Custom nr 84148022

Type	Volt/Hz/Ph	Icons: Motor, Air, Oil, Light, Paper, Truck, Pallet, Camion										Truck/Pallet camion	
		l	l/min	CFM	cil./st.	bar	psi	HP	KW	kg	pcs pz.	Q.ty	Q.tà
MCX 50 B*	230/50/1	50	250	8,8	2/1	10	145	2	1,5	50	6	28	
MCX 100 B*	230/50/1	100	250	8,8	2/1	10	145	2	1,5	58	6	22	

\* available version Volt/Hz/Ph 220/60/1 - 220/60/3 - 230/50/3 - 380/60/3 - 400/50/3

\* disponibile versione Volt/Hz/Ph 220/60/1 - 220/60/3 - 230/50/3 - 380/60/3 - 400/50/3



## Air Compressors

# MCX 200 B - MCX 550 B MCX 670 B - MCX 850 B



## MCX 150 B

Cod. 1472690000  
Barcode 8020119080184  
Custom nr 84148022

## MCX 200 B

Cod. 1471073000  
Barcode 8020119021743  
Custom nr 84148022

## MCX 200/415 B

Cod. 1496070000  
Barcode 8020119090152  
Custom nr 84148022

Type	Volt/Hz/Ph								Truck/Pallet camion			
		ℓ	ℓ/min	CFM	cil./st.	bar	psi	HP	kW	kg	pcs pz.	Q.ty Q.tà
MCX 150 B*	230/50/1	150	360	12,74	2/1	10	145	3	2,25	80	6+4	10+10
MCX 200 B*	230/50/1 400/50/3	200	360	12,74	2/1	10	145	3	2,25	93	2	34

\* available version Volt/Hz/Ph 220/60/1 - 220/60/3 - 380/60/3

\* disponibile versione Volt/Hz/Ph 220/60/1 - 220/60/3 - 380/60/3



## MCX 300/360 B

Cod. 1471220000  
Barcode 8020119080207  
Custom nr 84148022

## MCX 300/415 B

Cod. 1498170000  
Barcode 8020119093900  
Custom nr 84148022

## MCX 300/515 B

Cod. 1498130000  
Barcode 8020119092545  
Custom nr 84148022

## MCX 300/525 B

Cod. 1467900000  
Barcode 8020119080214  
Custom nr 84148022

## MCX 300/550 B

Cod. 1468020000  
Barcode 8020119022962  
Custom nr 84148022

Type	Volt/Hz/Ph								Truck/Pallet camion			
		ℓ	ℓ/min	CFM	cil./st.	bar	psi	HP	kW	kg	pcs pz.	Q.ty Q.tà
MCX 200/415 B*	230/50/3 400/50/3	200	415	14,7	2/1	10	145	3	2,25	109	1	66
MCX 300/360 B*	230/50/1 400/50/3	270	416	14,7	2/1	10	145	4	3	154	1	58
MCX 300/415 B*	230/50/1 400/50/3	270	415	14,7	2/1	10	145	3	2,25	155	1	58
MCX 300/515 B*	400/50/3	270	485	17,78	2/1	10	145	4	3	155	1	58
MCX 300/525 B*	400/50/3	270	525	17,78	2/2	10	145	5,5	4	158	1	58
MCX 300/550 B**	400/50/3	270	550	19,47	2/2	10	145	5,5	4	160	1	58

\* available version Volt/Hz/Ph 220/60/3 - 380/60/3 - \* disponibile versione Volt/Hz/Ph 220/60/3 - 380/60/3

\*\* available version Volt/Hz/Ph 220/60/3 - 380/60/3, 203 psi - \*\* disponibile versione Volt/Hz/Ph 220/60/3 - 380/60/3, 14 bar



## MCX 300/670 B

Cod. 1468030000  
Barcode 8020119022870  
Custom nr 84148022

Cod. 1468240000  
Barcode 8020119093917  
Custom nr 84148022

Cod. 1468110000  
Barcode 8020119068434  
Custom nr 84148022

Type	Volt/Hz/Ph								Truck/Pallet camion			
		ℓ	ℓ/min	CFM	cil./st.	bar	psi	HP	kW	kg	pcs pz.	Q.ty Q.tà
MCX 300/670	400/50/3	270	650	23	2/2	10	145	5,5	4	165	1	58
MCX 300/800*	400/50/3	270	830	29,4	2/2	10	145	7,5	5,5	166	1	58
MCX 300/850*	400/50/3	270	830	29,4	2/2	10	145	7,5	5,5	170	1	58

\* available version Volt/Hz/Ph 220/60/3 - 380/60/3, 203 psi

\* disponibile versione Volt/Hz/Ph 220/60/3 - 380/60/3, 14 bar



## Air Compressors

# MCX 550 S - MCX 670 S

# MCX 800 S - MCX 850 S

Cast iron cylinder  
*Cilindro in ghisa*

Low noise operation  
*Funzionamento silenzioso*

Large flywheel  
*Volano di grande diametro*

Oil lubricated  
*Lubrificato ad olio*

Cooling pipes  
*Tubi di raffreddamento*

Pressure switch with overload  
protection  
*Pressostato con protezione  
da sovraccarico*




CE

## MCX 300/550 S

Cod. 1523210000  
Barcode 8020119029978  
Custom nr 84148022

## MCX 500/550 S

Cod. 1525710000  
Barcode 8020119079379  
Custom nr 84148022



Type	Volt/Hz/Ph	Motor		cil./st.	bar	psi	HP	kW	kg	pcs pz.	Truck/Pallet camion Q.ty Q.tà	
		ℓ	ℓ/min									
MCX 300/550 S*	400/50/3	270	550	19,4	2/2	10	145	5,5	4	160	1	58
MCX 500/550 S*	400/50/3	500	550	19,4	2/2	10	145	5,5	4	225	1	38

\* available version Volt/Hz/Ph 220/60/3 - 380/60/3, 203 psi  
\* disponibile versione Volt/Hz/Ph 220/60/3 - 380/60/3, 14 bar

Type	L		P		H	
	mm	ins	mm	ins	mm	ins
MCX 300/550 S	1600	62,4	500	19,5	1040	40,5
MCX 500/550 S	1970	76,8	590	23	1300	50,7

## MCX 300/670 S

Cod. 1523320000  
Barcode 8020119064375  
Custom nr 84148022

## MCX 300/850 S


Cod. 1521590000  
Barcode 8020119083765  
Custom nr 84148022

## MCX 500/800 S

Cod. 1525720000  
Barcode 8020119079027  
Custom nr 84148022

## MCX 500/850 S

Cod. 1527840000  
Barcode 8020119022825  
Custom nr 84148022



Type	Volt/Hz/Ph	Motor		cil./st.	bar	psi	HP	kW	kg	pcs pz.	Truck/Pallet camion Q.ty Q.tà	
		ℓ	ℓ/min									
MCX 300/670 S*	400/50/3	270	650	23	2/2	10	145	5,5	4	160	1	58
MCX 300/850 S*	400/50/3	270	830	29,3	2/2	10	145	7,5	5,5	165	1	58
MCX 500/800 S*	400/50/3	500	800	15,9	2/2	10	145	7,5	5,5	240	1	38
MCX 500/850 S*	400/50/3	500	830	29,3	2/2	10	145	7,5	5,5	240	1	38

\* available version Volt/Hz/Ph 220/60/3 - 380/60/3, 203 psi  
\* disponibile versione Volt/Hz/Ph 220/60/3 - 380/60/3, 14 bar

Type	L		P		H	
	mm	ins	mm	ins	mm	ins
MCX 300/670 S	1600	62,4	500	19,5	1040	40,5
MCX 300/850 S	1600	62,4	500	19,5	1040	40,5
MCX 500/800 S	1970	76,8	590	23	1300	50,7
MCX 500/850 S	1970	76,8	590	23	1300	50,7

## Air Compressors

# MCXT 500 S

# MCXT 900 S

Cast iron cylinder  
*Cilindro in ghisa*

Low noise operation  
*Funzionamento silenzioso*

Oil lubricated  
*Lubrificato ad olio*



Large flywheel  
*Volano di grande diametro*

Cooling pipes  
*Tubi di raffreddamento*



CE

## MCXT 500/1100 S

Cod. 1622170000  
Barcode 8020119080221  
Custom nr 84148028

## MCXT 500/1350 S

Cod. 1623250000  
Barcode 8020119080238  
Custom nr 84148028

## MCXT 500/1600 S


Cod. 1622240000  
Barcode 8020119097120  
Custom nr 84148028

## MCXT 500/1700 S

Cod. 1624050000  
Barcode 8020119080245  
Custom nr 84148028



Type	Volt/Hz/Ph	Motor		cil./st.	bar	psi	Power		kg	Truck/Pallet camion	
		ℓ	ℓ/min				CFM	HP		kW	pcs pz.
MCXT 500/1100 S*	400/50/3	500	1100	38,9	2/2	10 145	5,5+5,5	4,1+4,1	240	1	38
MCXT 500/1350 S*	400/50/3	500	1350	47,8	2/2	10 145	5,5+5,5	4,1+4,1	275	1	38
MCXT 500/1600 S*	400/50/3	500	1600	56,6	2/2	10 145	7,5+7,5	5,5+5,5	295	1	38
MCXT 500/1700 S*	400/50/3	500	1660	58,8	2/2	10 145	7,5+7,5	5,5+5,5	295	1	38



\* available version Volt/Hz/Ph 220/60/3 - 380/60/3, 203 psi  
\* disponibile versione Volt/Hz/Ph 220/60/3 - 380/60/3, 14 bar

## MCXT 900/1600 S

Cod. 1629460000  
Barcode 8020119097137  
Custom nr 84148028

## MCXT 900/1700 S


Cod. 1629320000  
Barcode 8020119080252  
Custom nr 84148028

## MCXT 900/1960 S

Cod. 1629330000  
Barcode 8020119080269  
Custom nr 84148028



Type	Volt/Hz/Ph	Motor		cil./st.	bar	psi	Power		kg	Truck/Pallet camion	
		ℓ	ℓ/min				CFM	HP		kW	pcs pz.
MCXT 900/1600 S*	400/50/3	900	1600	56,6	2/2	10 145	7,5+7,5	5,5+5,5	430	1	16
MCXT 900/1700 S*	400/50/3	900	1660	58,8	2/2	10 145	7,5+7,5	5,5+5,5	445	1	16
MCXT 900/1960 S*	400/50/3	900	1824	64,3	2/2	10 145	10+10	7,4+7,4	488	1	16



\* available version Volt/Hz/Ph 220/60/3 - 380/60/3, 203 psi  
\* disponibile versione Volt/Hz/Ph 220/60/3 - 380/60/3, 14 bar

# Air Compressors

# VCX50 - VCX100 - VCX150

Full cast iron twin cylinder  
Cilindro completamente in ghisa

Oil lubricated  
Lubrificato ad olio

Cast iron carter  
Carter in ghisa

Swiwel wheel  
Ruota pivotante

Metal bearing cover  
Coperchio dei cuscinetti in metallo

Rubber wheels  
Ruote in gomma

Larger oil glass  
Spia di grandi dimensioni



**VCX 50**  
Cod. 1459340000  
Barcode 80119074497  
Custom nr 84148022

**VCX 100**  
Cod. 1472890000  
Barcode 80119066652  
Custom nr 84148022

**VCX 150**  
Cod. 1474440000  
Barcode 80119074503  
Custom nr 84148022


Type	Volt/Hz/Ph								Truck/Pallet camion			
		l	l/min	CFM	cil./st.	bar	psi	HP	kW	kg	pcs pz.	Q.ty Q.tà
VCX 50*	230/50/1	50	250	8,8	2/1	10	145	2	1,5	58	6	26
VCX 100/3**	230/50/1 400/50/3	100	350	12,4	2/1	10	145	3	2,25	67	6	22
VCX 150/3**	230/50/1 400/50/3	150	350	12,4	2/1	10	145	3	2,25	90	6+4	10+10

\* available version Volt/Hz/Ph 110/60/1 - 220/60/1 - 220/60/3 - \* disponibile versione Volt/Hz/Ph 110/60/1 - 220/60/1 - 220/60/3  
\*\* available version Volt/Hz/Ph 110/60/1 - 220/60/1 - 380/60/3 - \*\* disponibile versione Volt/Hz/Ph 220/60/1 - 220/60/3 - 380/60/3





# Air Compressor MVX 300



**MVX 300/360**  
Cod. 1529970000  
Barcode 8020119097267  
Custom nr 84148022

**MVX 300/550**  
Cod. 1529980000  
Barcode 8020119097274  
Custom nr 84148022

**MVX 300/671**  
Cod. 1528900000  
Barcode 80119095980  
Custom nr 84148022

**MVX 300/851**  
Cod. 1528910000  
Barcode 80119092408  
Custom nr 84148022

**MVX 300/981**  
Cod. 1529800000  
Barcode 8020119097281  
Custom nr 84148022

Type	Volt/Hz/Ph	Flow			Capacity		Power		kg	pcs pz.	Truck/Pallet camion	
		l	l/min	CFM	cil.st.	bar	psi	HP				kW
MVX 300/360*	230/50/1	270	350	12,4	2/1	10	145	3	2,25	120	1	33
MVX 300/550**	400/50/3	270	550	19,4	2/2	10	154	5,5	4	160	1	33
MVX 300/671**	400/50/3	270	650	23	2/2	10	145	5,5	4	180	1	33
MVX 300/851**	400/50/3	270	830	29,3	2/2	10	145	7,5	5,5	200	1	33
MVX 300/981**	400/50/3	270	912	32,3	2/2	10	145	10	7,5	205	1	33

\* available version Volt/Hz/Ph 110/60/1 - 220/60/1 - 220/60/3 - \* disponibile versione Volt/Hz/Ph 110/60/1 - 220/60/1 - 220/60/3

\*\* available version Volt/Hz/Ph 110/60/1 - 220/60/1 - 380/60/3 - \*\* disponibile versione Volt/Hz/Ph 220/60/1 - 220/60/3 - 380/60/3



# Noiseless piston Compressors

## MCX N



CE

**MCX 500 N**  
**MCX 951 N**

**MCX 600 N**  
**MCX 981 N**

**MCX 671 N**  
**MCX 1250 N**

Type	Volt/Hz/Ph									Truck/Pallet camion			
		ℓ	dB (A)	ℓ/min	CFM	cil./st.	bar	psi	HP	kW	kg	pcs pz.	Q.ty Q.tà
MCX 500 N	400/50/3	-	68	450	16	2/2	10	145	4	3	125	1	98
MCX 600 N	400/50/3	-	69	625	22	2/2	10	145	5,5	4	130	1	98
MCX 671 N	400/50/3	-	66	650	23	2/2	10	145	5,5	4	130	1	98
MCX 951 N	400/50/3	-	66	777	27,4	2/2	10	145	7,5	5,5	130	1	98
MCX 981 N	400/50/3	-	66	912	32,3	2/2	10	145	10	7,5	130	1	98
MCX 1250 N	400/50/3	-	66	1080	38	2/2	10	145	10	7,5	180	1	92



**MCX 500/300 N**  
**MCX 951/500 N**

**MCX 600/300 N**  
**MCX 981/300 N**

**MCX 671/300 N**  
**MCX 981/500 N**

**MCX 951/300 N**  
**MCX 1250/500 N**

Type	Volt/Hz/Ph									Truck/Pallet camion			
		ℓ	dB (A)	ℓ/min	CFM	cil./st.	bar	psi	HP	kW	kg	pcs pz.	Q.ty Q.tà
MCX 500/300 N	400/50/3	270	68	450	16	2/2	10	145	4	3	185	1	27
MCX 600/300 N	400/50/3	270	69	625	22	2/2	10	145	5,5	4	185	1	27
MCX 671/300 N	400/50/3	270	67	650	23	2/2	10	145	5,5	4	185	1	27
MCX 951/300 N	400/50/3	270	66	777	27,4	2/2	10	145	7,5	5,5	190	1	27
MCX 951/500 N	400/50/3	500	66	777	27,4	2/2	10	145	7,5	5,5	230	1	18
MCX 981/300 N	400/50/3	270	66	912	32,3	2/2	10	145	10	7,5	190	1	27
MCX 981/500 N	400/50/3	500	66	912	32,3	2/2	10	145	10	7,5	230	1	18
MCX 1250/500 N	400/50/3	500	66	1080	38	2/2	10	145	10	7,5	280	1	18



**MCX D 500/300 N**   **MCX D 600/300 N**   **MCX D 671/300 N**   **MCX D 951/300 N**  
**MCX D 951/500 N**   **MCX D 981/300 N**   **MCX D 981/500 N**   **MCX D 1250/500 N**

Type	Volt/Hz/Ph									Truck/Pallet camion			
		ℓ	dB (A)	ℓ/min	CFM	cil./st.	bar	psi	HP	kW	kg	pcs pz.	Q.ty Q.tà
MCX D 500/300 N	400/50/3	270	68	450	16	2/2	10	145	4	3	200	1	27
MCX D 600/300 N	400/50/3	270	69	625	22	2/2	10	145	5,5	4	200	1	27
MCX D 671/300 N	400/50/3	270	67	650	23	2/2	10	145	5,5	4	200	1	27
MCX D 951/300 N	400/50/3	270	66	777	27,4	2/2	10	145	7,5	5,5	210	1	27
MCX D 951/500 N	400/50/3	500	66	777	27,4	2/2	10	145	7,5	5,5	250	1	18
MCX D 981/300 N	400/50/3	270	66	912	32,3	2/2	10	145	10	7,5	210	1	27
MCX D 981/500 N	400/50/3	500	66	912	32,3	2/2	10	145	10	7,5	250	1	18
MCX D 1250/500 N	400/50/3	500	66	1080	38	2/2	10	145	10	7,5	300	1	18



# Rotary Screw Air Compressor

## RSX 100/3



Plastic shroud protects hot and rotating parts  
Carenatura in plastica a protezione delle parti calde ed in movimento



Ergonomic handle  
Manico ergonomico

**59 dB(A)**

Double feet with rubber shock absorber  
Doppio piede con gommino ammortizzante

Large wheels heightens portability  
Ruote di grandi dimensioni per facilitarne lo spostamento



**RSX 100/3**  
Cod. 1686001000  
Barcode 8020119086827  
Custom nr 84148075

Type	Volt/Hz/Ph	ISO 1217		HP	Watt	kg	pcs pz.	Truck/Pallet camion
		l	l/min CFM m <sup>3</sup> /h					
RSX 100/3*	230/50/1	90	300 10,6 18	3	2200	84 185	1	Q.ty Q.tà 104

\* available version Volt/Hz/Ph 220/60/1 - 220/60/3 - 400/50/3  
\* disponibile versione Volt/Hz/Ph 220/60/1 - 220/60/3 - 400/50/3



# Rotary Screw Air Compressors

## RSX 10 - RSX 15 - RSX 20



RSX 10	RSX 15	RSX 20
Cod. 1685721000	Cod. 1688611000	Cod. 1685410000
Barcode 8020119095843	Barcode 8020119095591	Barcode 8020119095607
Custom nr 84148075	Custom nr 84148075	Custom nr 84148075

Type	Volt/Hz/Ph	ISO 1217		Light	Printer	Truck	Pallet	Truck/Pallet camion				
		l	l/min					CFM	m <sup>3</sup> /h	bar	psi	HP
RSX 10* °	400/50/3	-	950	33	57	8	116	10	7,5	148	1	114
RSX 15** °	400/50/3	-	1560	55	93,6	8	116	15	11	232	1	68
RSX 20*** °	400/50/3	-	2010	70,9	120,6	8	116	20	15	280	1	68


\* available version CFM 30, psi 145 - CFM 24,4, psi 203 / \* disponibile versione l/min 860, bar 10 - l/min 690, bar 13  
 \*\* available version CFM 50,5, psi 145 - CFM 42,8, psi 203 / \*\* disponibile versione l/min 1430, bar 10 - l/min 1210, bar 13  
 \*\*\* available version CFM 67, psi 145 - CFM 59, psi 203 / \*\*\* disponibile versione l/min 1900, bar 10 - l/min 1670, bar 13  
 ° available version Volt/Hz/Ph 230/50/3 - 220/60/3 - 380/60/3 / ° disponibile versione Volt/Hz/Ph 230/50/3 - 220/60/3 - 380/60/3



# Rotary Screw Air Compressors on Tank

## RSX 10/300 - RSX 15/300 - RSX 20/300

## RSX 15/500 RSX 20/500



Plug&Play

Tank with lifting supports  
*Serbatoio con barre di sollevamento*



## RSX 10/300

Cod. 1687551000  
Barcode 8020119095584  
Custom nr 84148075

## RSX 15/300

Cod. 1687641000  
Barcode 8020119095676  
Custom nr 84148075


## RSX 20/300

Cod. 1687651000  
Barcode 8020119095690  
Custom nr 84148075



Type	Volt/Hz/Ph						Truck/Pallet camion							
		ℓ	ℓ/min	CFM	m³/h	bar	psi	HP	kW	kg	pcs pz.	Q.ty Q.tà		
RSX 10/300* °	400/50/3	270	950	33	57	8	116	10	7,5	217	1	27		
RSX 15/300** °	400/50/3	270	1560	55	93,6	8	116	15	11	325	1	27		
RSX 20/300*** °	400/50/3	270	2010	70,9	120,6	8	116	20	15	351	1	27		

\* available version CFM 30, psi 145 - CFM 24,4, psi 203 / \* disponibile versione ℓ/min 860, bar 10 - ℓ/min 690, bar 13  
 \*\* available version CFM 50,5, psi 145 - CFM 42,8, psi 203 / \*\* disponibile versione ℓ/min 1430, bar 10 - ℓ/min 1210, bar 13  
 \*\*\* available version CFM 67, psi 145 - CFM 59, psi 203 / \*\*\* disponibile versione ℓ/min 1900, bar 10 - ℓ/min 1670, bar 13  
 ° available version Volt/Hz/Ph 230/50/3 - 220/60/3 - 380/60/3 / ° disponibile versione Volt/Hz/Ph 230/50/3 - 220/60/3 - 380/60/3



## RSX 15/500

Cod. 1686711000  
Barcode 8020119095683  
Custom nr 84148075


## RSX 20/500

Cod. 1687561000  
Barcode 8020119095706  
Custom nr 84148075



Type	Volt/Hz/Ph						Truck/Pallet camion							
		ℓ	ℓ/min	CFM	m³/h	bar	psi	HP	kW	kg	pcs pz.	Q.ty Q.tà		
RSX 15/500* °	400/50/3	500	1560	55	93,6	8	116	15	11	349	1	18		
RSX 20/500** °	400/50/3	500	2010	70,9	120,6	8	116	20	15	392	1	18		

\* available version CFM 30, psi 145 - CFM 24,4, psi 203 / \* disponibile versione ℓ/min 860, bar 10 - ℓ/min 690, bar 13  
 \*\* available version CFM 50,5, psi 145 - CFM 42,8, psi 203 / \*\* disponibile versione ℓ/min 1430, bar 10 - ℓ/min 1210, bar 13  
 \*\*\* available version CFM 67, psi 145 - CFM 59, psi 203 / \*\*\* disponibile versione ℓ/min 1900, bar 10 - ℓ/min 1670, bar 13  
 ° available version Volt/Hz/Ph 230/50/3 - 220/60/3 - 380/60/3 / ° disponibile versione Volt/Hz/Ph 230/50/3 - 220/60/3 - 380/60/3



# Rotary Screw Air Compressors on Tank with Dryer

## RSXD 10/300 - RSXD 15/300

## RSXD 20/300

## RSXD 10/500 - RSXD 15/500

## RSXD 20/500



Compressed air dryer system  
*Sistema di essiccazione aria compressa*

Soundproof cabinet  
*Cabina  
insonorizzata*

Pressure line gauge  
*Manometro  
pressione di linea*

Control Panel  
*Pannello di controllo*

Emergency stop button  
*Pulsante di emergenza*

Condensation drainage  
*Scarico condensa*

Tank with lifting supports  
*Serbatoio con barre di sollevamento*



**Plug&Play**





## RSXD 10/300

Cod. 1684891000

Barcode 8020119095751

Custom nr 84148075

## RSXD 15/300

Cod. 1684901000

Barcode 8020119095775

Custom nr 84148075

## RSXD 20/300

Cod. 1688671000

Barcode 8020119095799

Custom nr 84148075




Type	Volt/Hz/Ph	ISO 1217		Light	Printer	Storage	Truck/Pallet camion					
		ℓ	ℓ/min					CFM	m³/h	bar	psi	HP
RSXD 10/300*	400/50/3	270	950	33	57	8	116	10	7,5	257	1	27
RSXD 15/300**	400/50/3	270	1560	55	93,6	8	116	15	11	365	1	27
RSXD 20/300***	400/50/3	270	2010	70,9	120,6	8	116	20	15	392	1	27

\* available version CFM 30, psi 145 - CFM 24,4, psi 203 / \* disponibile versione ℓ/min 860, bar 10 - ℓ/min 690, bar 13

\*\* available version CFM 50,5, psi 145 - CFM 42,8, psi 203 / \*\* disponibile versione ℓ/min 1430, bar 10 - ℓ/min 1210, bar 13

\*\*\* available version CFM 67, psi 145 - CFM 59, psi 203 / \*\*\* disponibile versione ℓ/min 1900, bar 10 - ℓ/min 1670, bar 13

° available version Volt/Hz/Ph 230/50/3 - 220/60/3 - 380/60/3 / ° disponibile versione Volt/Hz/Ph 230/50/3 - 220/60/3 - 380/60/3



## RSXD 10/500

Cod. 1685921000

Barcode 8020119095768

Custom nr 84148075

## RSXD 15/500

Cod. 1685471000

Barcode 8020119095782

Custom nr 84148075

## RSXD 20/500

Cod. 1685265100

Barcode 8020119095805

Custom nr 84148075




Type	Volt/Hz/Ph	ISO 1217		Light	Printer	Storage	Truck/Pallet camion					
		ℓ	ℓ/min					CFM	m³/h	bar	psi	HP
RSXD 10/500*	400/50/3	500	950	33	57	8	116	10	7,5	300	1	18
RSXD 15/500**	400/50/3	500	1560	55	93,6	8	116	20	15	390	1	18
RSXD 20/500***	400/50/3	500	2010	70,9	120,6	8	116	20	15	438	1	18

\* available version CFM 30, psi 145 - CFM 24,4, psi 203 / \* disponibile versione ℓ/min 860, bar 10 - ℓ/min 690, bar 13

\*\* available version CFM 50,5, psi 145 - CFM 42,8, psi 203 / \*\* disponibile versione ℓ/min 1430, bar 10 - ℓ/min 1210, bar 13


\*\*\* available version CFM 67, psi 145 - CFM 59, psi 203 / \*\*\* disponibile versione ℓ/min 1900, bar 10 - ℓ/min 1670, bar 13

° available version Volt/Hz/Ph 230/50/3 - 220/60/3 - 380/60/3 / ° disponibile versione Volt/Hz/Ph 230/50/3 - 220/60/3 - 380/60/3



# Rotary Screw Air Compressors

# RSX 30 - RSX 40 - RSX 50



**RSX 30**  
Cod. 1682290000  
Barcode 8020119097311  
Custom nr 84148075

**RSX 40**  
Cod. 1689300000  
Barcode 80201190973218  
Custom nr 84148075

**RSX 50**  
Cod. 1689310000  
Barcode 8020119097335  
Custom nr 84148075

Type	Volt/Hz/Ph	ISO 1217			bar	psi	HP	kW	kg	pcs pz.	Truck/Pallet camion
		ℓ/min	CFM	m <sup>3</sup> /h							
RSX 30*	400/50/3	3050	108	183	10	145	30	22	435	1	25
RSX 40*	400/50/3	4110	145	246	10	145	40	30	707	1	16
RSX 50*	400/50/3	5120	181	307	10	145	50	37	715	1	16

\* available version 220/60/3 - 380/60/3, 116 - 189 psi

\* disponibile versione 220/60/3 - 380/60/3, 8 - 13 bar



# Multipurpose service unit

## MCX981 N

Double hose reel: a)1x  $\phi$ 1/2-16 mt / b)1x  $\phi$ 3/8-21 mt  
 Doppio arrotolatore tubo: a)1x  $\phi$ 1/2-16 mt / b)1x  $\phi$ 3/8-21 mt

Filter reducer / lubricator unit  
 Gruppo filtro riduttore / lubrificatore

90 l tank at 14 bar C€ approved  
 Serbatoio 90 l approvato C€ 14 bar

Air safety quick couplers  
 Attacchi aria rapidi con sicurezza

Solid iron chassis  
 Telaio in ferro

Compressor air intake filter (easy maintenance)  
 Filtro aria compressore (facile manutenzione)

External industrial filter  
 for diesel engine (easy maintenance)  
 Filtro industriale esterno per motore  
 diesel (facile manutenzione)

Soundproof booth  
 with steel painted panels  
 Cabina insonorizzata con  
 pannelli in acciaio verniciato

Fuel tank (22 l)  
 Serbatoio carburante (22 l)

Three-phase V. 400/50 (red)  
 electric plug 6 kVA  
 Presa elettrica trifase  
 V. 400/50 (rosso) 6 kVA

Mono-phase  
 V. 230/50 (blue) 2 kVA  
 Presa elettrica monofase  
 V. 230/50 (blu) 2 kVA

Motor starter / panel control  
 with electric starter  
 Pannello di controllo / accensione motor  
 con avviamento diretto

Electric battery for motor start  
 Batteria elettrica per l'accensione del motore



**MCX981**  
**Cod. 1448310000**  
**Barcode 8020119097182**  
**Custom nr 84148022**

Type	Volt/Hz/Ph							Truck/Pallet camion	
		l	l/min CFM	bar psi	HP Watt	kg	pcs pz.	Q.ty Q.tà	
MCX981 N/*	-	90	800 28,2	12 175	17 1250	398	1	20	

\* diesel motor with electric starting  
 \* motore diesel con avviamento elettrico





**Accessories**  
**Accessori**

Item / Articolo	Cod.	EAN Code	€
<b>Air Kit 1878*</b>	6018780000	8020119046111	91,00
<b>Espositore / Exhibitor 25 x 1878</b>	6128000400	8020119046111	1886,00

\* Inflation pistol, blow pistol, spray pistol, washing pistol, spiral hose (3m)  
\* Pistola di gonfiaggio, pistola di soffiaggio, aerografo, pistola di lavaggio, tubo spirale (3m)



**Pneumatic tools**  
**Utensili pneumatici**



Item / Articolo	Cod.	EAN Code	l/min	C.F.M.	bar	psi	€
<b>Air grease gun</b> <b>Pistola ingrassatrice</b>	6710420000	8020119068847	250-300	9-10,5	4-6	58-87	43,00

**Pneumatic tools**  
**Utensili pneumatici**



Item / Articolo	Cod.	EAN Code	l/min	C.F.M.	bar	psi	€
<b>Metal caulking</b> <b>Pistola per silicone</b>	6710430000	8020119068830	170	6	6	87	49,00

**Pneumatic tools**  
**Utensili pneumatici**



Item / Articolo	Cod.	EAN Code	l/min	C.F.M.	bar	psi	€
<b>Orbital sander – 150mm</b> <b>Levigatrice orbitale 150mm</b>	6035000047	8020119084670	250	9	6	87	59,00



**Pneumatic tools**  
**Utensili pneumatici**

Item / Articolo	Cod.	EAN Code	l/min	C.F.M.	bar	psi	€
<b>Palm-grip sander with Velcro disc – 125 mm</b> <i>Levigatrice palmare con disco velcro da 125 mm</i>	6035000050	8020119084700	170	6	6	87	94,00



**Pneumatic tools**  
**Utensili pneumatici**

Item / Articolo	Cod.	EAN Code	l/min	C.F.M.	bar	psi	€
<b>Angular sander – 100 mm</b> <i>Smerigliatore angolare da 100 mm1</i>	6035000048	8020119084687	250	9	6	87	79,00



**Pneumatic tools**  
**Utensili pneumatici**

Item / Articolo	Cod.	EAN Code	l/min	C.F.M.	bar	psi	€
<b>Case with straight grinder + 10 grinding bits</b> <i>Valigetta smerigliatrice diritta + 10 mole</i>	6035000046	8020119084588	150-170	5-6	6	87	37,00



**Pneumatic tools**  
**Utensili pneumatici**

Item / Articolo	Cod.	EAN Code	l/min	C.F.M.	bar	psi	€
<b>Case with air hammer/chisel + 4 chisel bits</b> <i>Valigetta scalpellatore + 4 scalpelli</i>	6710390001	8020119077245	170	6	6	87	45,00



**Pneumatic tools**  
**Utensili pneumatici**

Item / Articolo	Cod.	EAN Code	l/min	C.F.M.	bar	psi	€
Case with professional air hammer/chisel + 4 chisel bits <i>Valigetta scalpellatore professionale + 4 scalpelli</i>	6710390002	8020119084595	170	6	6	87	44,00



**Pneumatic tools**  
**Utensili pneumatici**

Item / Articolo	Cod.	EAN Code	l/min	C.F.M.	bar	psi	€
Case for automatic drill <i>Valigetta trapano pneumatico</i>	6710650100	8020119084625	170	6	6	87	60,00



**Pneumatic tools**  
**Utensili pneumatici**

Item / Articolo	Cod.	EAN Code	l/min	C.F.M.	bar	psi	€
Air ratchet wrench <i>Avvitatore a cricco</i>	6710580000	8020119070659	120/160	4,2-5,7	6	87	42,00



**Pneumatic tools**  
**Utensili pneumatici**

Item / Articolo	Cod.	EAN Code	l/min	C.F.M.	bar	psi	€
Staple <i>Graffatrice</i>	6010670200	8020119084632	0,5xPC	0.02	4-7	58-101	59,00



**Pneumatic tools**  
**Utensili pneumatici**

Item / Articolo	Cod.	EAN Code	l/min	C.F.M.	bar	psi	€
<b>Staple / Nail pistol</b> <b>Graffatrice/Chiodatrice</b>	6010670300	8020119084649	0,4xPC	0.01	4-7	58-101	60,00



**Pneumatic tools**  
**Utensili pneumatici**

Item / Articolo	Cod.	EAN Code	l/min	C.F.M.	bar	psi	€
<b>Pneumatic Palm Nailer</b> <b>Chiodatrice palmare</b>	6035000049	8020119084694	0,6xPC	0,02	4-7	58-101	59,00



**Pneumatic tools**  
**Utensili pneumatici**

Item / Articolo	Cod.	EAN Code	l/min	C.F.M.	bar	psi	€
<b>Plastering spray pistol</b> <b>with 5-L tank</b> <b>Pistola intonacatrice</b> <b>con serbatoio da 5 lt</b>	6035000045	8020119084489	250	9	4-6	58-87	79,00



**Pneumatic tools**  
**Utensili pneumatici**


Item / Articolo	Cod.	EAN Code	l/min	C.F.M.	bar	psi	€
<b>1/2" impact Wrench with case</b> <b>+ 10 sockets + accessories</b> <b>Valigetta avvitatore ad impulsi</b> <b>da 1/2 + 10 bussole e accessori</b>	6710850000	8020119070642	220	7,8	6	87	85,00




**Pneumatic tools**  
**Utensili pneumatici**

Item / Articolo	Cod.	EAN Code	l/min	C.F.M.	bar	psi	€
<b>Professional 1/2" impact Wrench</b> <b>with case + 10 sockets + accessories</b> <b>Valigetta avvitatore ad impulsi profes.</b> <b>da 1/2 + 10 bussole e accessori</b>	6710850100	8020119084601	250	9	6	87	139,00


## Pneumatic tools Utensili pneumatici

Item / Articolo	Cod.	EAN Code	€
<b>Kit 49 pcs/pezzi</b>	6010960000	8020119057551	175,00
 <ul style="list-style-type: none"> <li>■ 3/8" [9,53 mm] drive air ratche           <ul style="list-style-type: none"> <li>• 3/8" [9,53 mm] square drive</li> <li>• Free speed: 160 rpm</li> <li>• 6 bar maximum working pressure</li> </ul> </li> <li>■ 1/2" [12,7 mm] drive air impact wrench           <ul style="list-style-type: none"> <li>• Rubber bumpers to protect tool and work piece</li> <li>• Ergonomic cushion grip handle</li> <li>• One handed forward and revers mechanism</li> <li>• Free speed: 7,000 rpm</li> <li>• 6 bar maximum working pressure</li> </ul> </li> <li>■ 150 mm air hammer           <ul style="list-style-type: none"> <li>• 4,500 blows per minute</li> <li>• 6 bar maximum working pressure</li> <li>• cushion grip handle</li> </ul> </li> <li>■ Metal blow inflating pistol           <ul style="list-style-type: none"> <li>• Tyres inflation</li> <li>• Football inflaion</li> <li>• Beach toys inflation</li> <li>• Blow cleaning</li> </ul> </li> </ul> <p><b>Avvitatore pneumatico a cricco 3/8" [9,53 mm]</b></p> <ul style="list-style-type: none"> <li>• Attacco 3/8" [9,53 mm]</li> <li>• Numero di giri: 160 rpm</li> <li>• Pressione max di utilizzo: 6 bar</li> </ul> <p><b>Avvitatore pneumatico ad impulsu 1/2" [12,7 mm]</b></p> <ul style="list-style-type: none"> <li>• Protezioni in gomma</li> <li>• Impugnatura ergonomica antiscivolo</li> <li>• Pratico comando svita-avvita</li> <li>• Numero di giri: 7.000 rpm</li> <li>• Pressione max di utilizzo: 6 bar</li> </ul> <p><b>Scalpello pneumatico 150 mm</b></p> <ul style="list-style-type: none"> <li>• 4.500 colp/min.</li> <li>• Pressione max di utilizzo: 6 bar</li> <li>• Impugnatura antiscivolo</li> </ul> <p><b>Pistola metallica di soffiaggio</b></p> <ul style="list-style-type: none"> <li>• Gonfiaggio pneumatici</li> <li>• Gonfiaggio palloni</li> <li>• Gonfiaggio giochi da spiaggia</li> <li>• Soffiaggio dedicato</li> </ul>			

## Pneumatic tools Utensili pneumatici

Item / Articolo	Cod.	EAN Code	€
<b>Kit 66 pcs/pezzi</b>	6010970000	8020119067956	230,00
 <ul style="list-style-type: none"> <li>■ 3/8" [9,53 mm] drive air ratche           <ul style="list-style-type: none"> <li>• 3/8" [9,53 mm] square drive</li> <li>• Free speed: 160 rpm</li> <li>• 6 bar maximum working pressure</li> </ul> </li> <li>■ 1/4" [6,35 mm] die grinder           <ul style="list-style-type: none"> <li>• Free speed: 22,000 rpm</li> <li>• 1/4" [6,35 mm] collet</li> <li>• 6 bar maximum working pressure</li> <li>• Cushion grip handle</li> </ul> </li> <li>■ 1/2" [12,7 mm] drive air impact wrench           <ul style="list-style-type: none"> <li>• Rubber bumpers to protect tool and work piece</li> <li>• Ergonomic cushion grip handle</li> <li>• One handed forward and revers mechanism</li> <li>• Free speed: 7,000 rpm</li> <li>• 6 bar maximum working pressure</li> </ul> </li> <li>■ Metal blow inflating pistol           <ul style="list-style-type: none"> <li>• Tyres inflation</li> <li>• Football inflaion</li> <li>• Beach toys inflation</li> <li>• Blow cleaning</li> </ul> </li> </ul> <p><b>Avvitatore pneumatico a cricco 3/8" [9,53 mm]</b></p> <ul style="list-style-type: none"> <li>• Attacco 3/8" [9,53 mm]</li> <li>• Numero di giri: 160 rpm</li> <li>• Pressione max di utilizzo: 6 bar</li> </ul> <p><b>Smerigliatore pneumatico 1/4" [6,35 mm]</b></p> <ul style="list-style-type: none"> <li>• Numero di giri: 22,000 rpm</li> <li>• Mandrino 1/4" [6,35 mm]</li> <li>• Pressione max di utilizzo: 6 bar</li> <li>• Impugnatura antiscivolo</li> </ul> <p><b>Avvitatore pneumatico ad impulsu 1/2" [12,7 mm]</b></p> <ul style="list-style-type: none"> <li>• Protezioni in gomma</li> <li>• Impugnatura ergonomica antiscivolo</li> <li>• Pratico comando svita-avvita</li> <li>• Numero di giri: 7.000 rpm</li> <li>• Pressione max di utilizzo: 6 bar</li> </ul> <p><b>Pistola metallica di soffiaggio</b></p> <ul style="list-style-type: none"> <li>• Gonfiaggio pneumatici</li> <li>• Gonfiaggio palloni</li> <li>• Gonfiaggio giochi da spiaggia</li> <li>• Soffiaggio dedicato</li> </ul>			

## Pneumatic tools Utensili pneumatici

Item / Articolo	Cod.	EAN Code	€
<b>Kit 72 pcs/pezzi</b>	6010980000	8020119067963	265,00
 <ul style="list-style-type: none"> <li>■ 3/8" [9,53 mm] drive air ratche           <ul style="list-style-type: none"> <li>• 3/8" [9,53 mm] square drive</li> <li>• Free speed: 160 rpm</li> <li>• 6 bar maximum working pressure</li> </ul> </li> <li>■ 1/4" [6,35 mm] die grinder           <ul style="list-style-type: none"> <li>• Free speed: 22,000 rpm</li> <li>• 1/4" [6,35 mm] collet</li> <li>• 6 bar maximum working pressure</li> <li>• Cushion grip handle</li> </ul> </li> <li>■ 1/2" [12,7 mm] drive air impact wrench           <ul style="list-style-type: none"> <li>• Rubber bumpers to protect tool and work piece</li> <li>• Ergonomic cushion grip handle</li> <li>• One handed forward and revers mechanism</li> <li>• Free speed: 7,000 rpm</li> <li>• 6 bar maximum working pressure</li> </ul> </li> <li>■ Metal blow inflating pistol           <ul style="list-style-type: none"> <li>• Tyres inflation</li> <li>• Football inflaion</li> <li>• Beach toys inflation</li> <li>• Blow cleaning</li> </ul> </li> </ul> <p><b>Avvitatore pneumatico a cricco 3/8" [9,53 mm]</b></p> <ul style="list-style-type: none"> <li>• Attacco 3/8" [9,53 mm]</li> <li>• Numero di giri: 160 rpm</li> <li>• Pressione max di utilizzo: 6 bar</li> </ul> <p><b>Smerigliatore pneumatico 1/4" [6,35 mm]</b></p> <ul style="list-style-type: none"> <li>• Numero di giri: 22,000 rpm</li> <li>• Mandrino 1/4" [6,35 mm]</li> <li>• Pressione max di utilizzo: 6 bar</li> <li>• Impugnatura antiscivolo</li> </ul> <p><b>Avvitatore pneumatico ad impulsu 1/2" [12,7 mm]</b></p> <ul style="list-style-type: none"> <li>• Protezioni in gomma</li> <li>• Impugnatura ergonomica antiscivolo</li> <li>• Pratico comando svita-avvita</li> <li>• Numero di giri: 7.000 rpm</li> <li>• Pressione max di utilizzo: 6 bar</li> </ul> <p><b>150 mm air hammer</b></p> <ul style="list-style-type: none"> <li>• 4,500 blows per minute</li> <li>• 6 bar maximum working pressure</li> <li>• cushion grip handle</li> </ul> <p><b>Scalpello pneumatico 150 mm</b></p> <ul style="list-style-type: none"> <li>• 4.500 colp/min.</li> <li>• Pressione max di utilizzo: 6 bar</li> <li>• Impugnatura antiscivolo</li> </ul> <p><b>Pistola metallica di soffiaggio</b></p> <ul style="list-style-type: none"> <li>• Gonfiaggio pneumatici</li> <li>• Gonfiaggio palloni</li> <li>• Gonfiaggio giochi da spiaggia</li> <li>• Soffiaggio dedicato</li> </ul> <p><b>7,5 m PVC hose</b></p> <p><b>Tubo in PVC da 7,5 m</b></p>			





**Accessories**  
**Accessori**

Item / Articolo	Cod.	EAN Code	Pz.	€
<b>Set of 8 screwing bits*</b> <b>Set di 8 bussole*</b>	6710850010	8020119084618	8	19,00

\* With chrome-vanadium 1/2" sockets wrenches (8, 10, 11, 12, 13, 17, 19, 21 mm)  
\* Chiavi a bussola 1/2" in acciaio cromo-vanadio (8, 10, 11, 12, 13, 17, 19, 21 mm)



**Accessories**  
**Accessori**

Item / Articolo	Cod.	EAN Code	Pz.	€
<b>Set 4 scalpelli *</b> <b>4 chisels kit *</b>	6710392000	8020119078525	4	14,00

\* Chisels cylindrical connection steel  
\* Scalpelli in acciaio al cromo-molibdeno con innesto cilindro



**Accessories**  
**Accessori**

Item / Articolo	Cod.	EAN Code	Pz.	€
<b>Pneumatic hammer retaining spring</b> <b>Molla per scalpellatore</b>	6710391000	8020119078518	1	9,00



**Accessories**  
**Accessori**


Tipo /Type	Cod.	EAN Code	Pz.	€
<b>3 disks for angle sander/grinder*</b> <b>3 dischi per smerigliatore angolare*</b>	6710000100	8020119090497	3	10,00



**Accessories**  
**Accessori**


Item / Articolo	mm	Cod.	EAN Code	Pz.	€
<b>Staples</b> <b>Graffe</b>	15 mm	6710672015	8020119095041	1.000	4,00
	20 mm	6710672020	8020119095058	1.000	4,50
	25 mm	6710672025	8020119095065	1.000	5,00
	30 mm	6710672030	8020119095072	1.000	6,00

**Accessories**  
**Accessori**

Item / Articolo	mm	 Blister	EAN Code	Pz.	€
<b>Nails</b> <b>Chiodi</b>	15 mm	6710671015	8020119095003	1.000	6,50
	20 mm	6710671020	8020119095010	1.000	7,50
	25 mm	6710671025	8020779095027	1.000	8,50
	30 mm	6710671030	8020119095034	1.000	10,00




**Accessories**  
**Accessori**

Item / Articolo	Inlets Entrate	Outlets Uscite	bar	psi	 Blister	EAN Code	€
<b>Direct lubricator for pneumatic tools</b> <b>Lubrificatore diretto per utensili pneumatici</b>	1/4"F	1/4"F	8÷12	116÷174	6710370024	8020119084373	18,60




**Accessories**  
**Accessori**

Item / Articolo	Inlets Entrate	Outlets Uscite	bar	psi	 Blister	EAN Code	€
<b>Utensili pneumatici lubricato</b> <b>Lubrificatore diretto per Pneumatic tools</b>	1/4"M	1/4"F	8÷12	116÷174	6710370014	8020119067581	18,60




**Accessories**  
**Accessori**












Item / Articolo	 Blister	EAN Code	€
<b>1 lt Oil for pneumatic tools</b> <b>1 lt Olio per utensili pneumatici</b>	6102270010	8020119084571	29,00















**Accessories**  
**Accessori**













Item / Articolo	 Blister	EAN Code	€
<b>Oil for compressors 2l</b> <b>Olio per compressori 2l</b>	6102277020	8020119084564	55,00












Item / Articolo	Type Tipo	Blister 	EAN Code	Pz.	€	
	<b>"Y" joint (FFF)</b> <b>Raccordo a "Y" (FFF)</b>	FFF				
		240/1	1/8"	6742400018	8020119078860	1 7,98
		240/2	1/4"	6742400014	8020119046685	1 9,81
		240/3	3/8"	6742400038	8020119032466	1 10,77
	<b>"Y" joint (FMF)</b> <b>Raccordo a "Y" (FMF)</b>	FMF				
		245/1	1/8"	6742450018	8020119053720	1 7,98
		245/2	1/4"	6742450014	8020119091838	1 9,81
		245/3	3/8"	6742450038	8020119096277	1 10,77
	<b>Cross joint (FFFF)</b> <b>Raccordo a croce (FFFF)</b>	FFFF				
		250/1	1/8"	6742500018	8020119096956	1 10,44
		250/2	1/4"	6742500014	8020119096963	1 12,92
		250/3	3/8"	6742500038	8020119096970	1 10,30
	<b>Cross joint (MFFF)</b> <b>Raccordo a croce (MFFF)</b>	MFFF				
		253/1	1/8"	6742530018	8020119096987	1 10,44
		253/2	1/4"	6742530014	8020119096994	1 13,01
		253/3	3/8"	6742530038	8020119097007	1 10,30
	<b>"T" joint (FMF)</b> <b>Raccordo a "T" (FMF)</b>	FMF				
		255/1	1/8"	6742550018	8020119097014	1 8,06
		255/2	1/4"	6742550014	8020119097021	1 9,84
		255/3	3/8"	6742550038	8020119097038	1 8,20
	<b>"T" joint (FFF)</b> <b>Raccordo a "T" (FFF)</b>	FFF				
		258/1	1/8"	6742580018	8020119097045	1 8,06
		258/2	1/4"	6742580014	8020119097052	1 9,84
		258/3	3/8"	6742580038	8020119097069	1 8,20
	<b>"L" joint (FF)</b> <b>Raccordo a "L" (FF)</b>	FF				
		260/1	1/8"	6742600018	8020119097045	1 5,39
		260/2	1/4"	6742600014	8020119097052	1 8,18
		260/3	3/8"	6742600038	8020119097069	1 10,95
	<b>"L" joint (FM)</b> <b>Raccordo a "L" (FM)</b>	FM				
		265/1	1/8"	6742650018	8020119097076	1 6,08
		265/2	1/4"	6742650014	8020119097083	1 8,18
		265/3	3/8"	6742650038	8020119097090	1 10,95
	<b>"L" joint (MM)</b> <b>Raccordo a "L" (MM)</b>	MM				
		266/1	1/8"	6742660018	8020119069011	1 6,08
		266/2	1/4"	6742660014	8020119069028	1 7,18
		266/3	3/8"	6742660038	8020119069035	1 10,95
	<b>Cylindrical thread reducer</b> <b>Riduzione con filettatura cilindrica</b>	M F				
		270/1	1/4" 1/8"	6742701418	8020119069059	1 4,26
		270/2	3/8" 1/8"	6742703818	8020119069066	1 4,90
		270/3	3/8" 1/4"	6742703814	8020119063330	1 4,63
		270/4	1/2" 1/8"	6742701218	8020119069073	1 6,36
		270/5	1/2" 1/4"	6742701214	8020119063323	1 6,03
		270/6	1/2" 3/8"	6742701238	8020119067314	1 5,85
		270/7	3/4" 1/4"	6742703414	8020119069080	1 9,25
		270/8	3/4" 3/8"	6742703438	8020119069097	1 9,25
270/9	3/4" 1/2"	6742703412	8020119069103	1 8,04		

Item / Articolo	Type Tipo	Blister		EAN Code	Pz.	€	
		M	F				
	<b>Cylindrical thread reducer</b> <i>Riduzione con filettatura cilindrica (M - F)</i>	275/1	1/8" 1/8"	6742751818	8020119069110	1	4,10
		275/2	1/8" 1/4"	6742751814	8020119069127	1	4,72
		275/3	1/8" 3/8"	6742751838	8020119069134	1	5,05
		275/4	1/8" 1/2"	6742751812	8020119069141	1	7,91
		275/5	1/4" 1/4"	6742751414	8020119067277	1	4,87
		275/6	1/4" 3/8"	6742751438	8020119067291	1	5,81
		275/7	1/4" 1/2"	6742751412	8020119067307	1	7,91
		275/8	3/8" 3/8"	6742753838	8020119067284	1	5,82
		275/9	3/8" 1/2"	6702753812	8020119069158	1	8,08
		275/10	3/8" 3/4"	6702753834	8020119069165	1	7,55
		275/11	1/2" 1/2"	6702751212	8020119069172	1	8,23
		275/12	1/2" 3/4"	6702751234	8020119069189	1	7,38
		275/13	3/4" 3/4"	6702753434	8020119069196	1	7,55
	<b>Cylindrical thread connector (F - F)</b> <i>Manicotto con filettatura cilindrica (F - F)</i>	280/1	1/8" 1/8"	6742801818	8020119069219	1	3,72
		280/5	1/4" 1/4"	6742801414	8020119069226	1	4,65
		280/8	3/8" 3/8"	6742803838	8020119069233	1	5,53
		280/10	1/2" 1/2"	6702801212	8020119069240	1	7,95
	<b>Cylindrical thread nipple (M - M)</b> <i>Nippolo con filettatura cilindrica (M - M)</i>	290/1	1/8" 1/8"	6742901818	8020119069257	1	4,10
		290/2	1/8" 1/4"	6742901814	8020119069264	1	4,48
		290/3	1/8" 3/8"	6742901838	8020119069271	1	5,08
		290/4	1/8" 1/2"	6742901812	8020119069288	1	7,31
		290/5	1/4" 1/4"	6742901414	8020119063347	1	4,48
		290/6	1/4" 3/8"	6742901438	8020119069295	1	5,52
		290/7	1/4" 1/2"	6742901412	8020119069301	1	7,48
		290/8	3/8" 3/8"	6742903838	8020119063354	1	5,56
		290/9	3/8" 1/2"	6742903812	8020119069318	1	7,53
		290/10	1/2" 1/2"	6742901212	8020119069325	1	8,54
		290/11	3/4" 3/4"	6702903434	8020119069332	1	7,38
	<b>Cylindrical thread plug (M)</b> <i>Tappo con filettatura cilindrica (M)</i>	295/1	1/8"	6742950018	8020119069349	1	3,89
		295/2	1/4"	6742950014	8020119069356	1	4,16
		295/3	3/8"	6742950038	8020119069363	1	5,03
		295/4	1/2"	6742950012	8020119069370	1	6,64
		295/5	3/4"	6742950034	8020119069387	1	6,23
		295/6	1"	6702950100	8020119069394	1	7,85
		295/7	1" 1/4"	6702950114	8020119069400	1	5,38
	<b>Milled nut (F)</b> <i>Dado fresato (F)</i>	340/1	1/4"	6743400014	8020119063361	1	4,03
		340/2	3/8"	6743400038	8020119069417	1	4,03
	<b>"T" joint with milled nuts (M)</b> <i>Giunzione a "T" con dadi fresati (M)</i>	345	1/4"	6743450014	8020119063378	1	8,61
		350	1/4"	6743500014	8020119063385	1	7,73
	<b>Linear joint with milled nuts (M)</b> <i>Giunzione lineare con dadi fresati (M)</i>	350	1/4"	6743500014	8020119063385	1	7,73
		360/1	1/4"	6743600014	8020119063392	1	6,01
	<b>Joint with milled nut (M)</b> <i>Raccordo con dado fresato (M)</i>	360/1	1/4"	6743600014	8020119063392	1	6,01
		360/2	3/8"	6743600038	8020119069424	1	6,86

Item / Articolo	Type Tipo	Ø mm	Ø ins	 Blister	EAN Code	Pz.	€
	M						
	370/1	1/4"	6	0,24"	6743701406	8020119063439	1 7,99
	370/2	1/4"	8	0,31"	6743701408	8020119066201	1 7,99
	370/3	1/4"	10	0,39"	6743701410	8020119069431	1 7,99
	370/4	1/4"	12	0,47"	6743701412	8020119069448	1 7,99
	370/6	3/8"	8	0,31"	6743703808	8020119063446	1 5,67
	370/7	3/8"	10	0,39"	6743703810	8020119067260	1 5,67
	370/8	3/8"	12	0,47"	6743703812	8020119069455	1 5,67
	F						
	380/1	1/4"	6x14	0,24"x0,55"	6743801406	8020119069462	2 7,38
	380/2	1/4"	8x17	0,31"x0,67"	6743801408	8020119069479	2 7,88
	380/3	3/8"	6x14	0,24"x0,55"	6743803806	8020119069486	2 8,55
	M						
	502/1	1/4"	6x4	0,24"x0,55"	6705021404	8020119069509	2 10,58
	502/2	1/4"	8x5	0,31"x0,2"	6705021405	8020119069516	2 10,68
	502/3	1/4"	8x6	0,31"x0,24"	6705021406	8020119069523	2 10,58
	502/4	1/4"	10x6,5	0,39"x0,25"	6705021465	8020119069530	2 10,95
	502/5	1/4"	10x8	0,39"x0,31"	6705021408	8020119069547	2 10,95
	502/6	1/4"	12x8	0,48"x0,31"	6705021418	8020119069554	2 11,58
	502/7	3/8"	10x8	0,39"x0,31"	6705023808	8020119069561	2 12,31
502/8	3/8"	12x10	0,48"x0,39"	6705023810	8020119069578	2 11,82	
	M						
	503/1	1/4"	8x6	0,31"x0,24"	6705031406	8020119069585	2 7,03
	503/2	1/4"	10x8	0,39"x0,31"	6705031408	8020119069592	2 7,50
	503/3	3/8"	10x8	0,39"x0,31"	6705033808	8020119069608	2 7,85
503/4	3/8"	12x10	0,48"x0,39"	6705033810	8020119069615	2 8,51	
	<b>Bayonet rotating joint with spring for RILSAN hose</b> <i>Raccordo girevole a baionetta con molla per fissaggio tubi RILSAN</i>						
	504/1		8x6	0,31"x0,24"	6705040006	8020119069622	2 10,58
	504/2		10x8	0,39"x0,31"	6705040008	8020119069639	2 10,95
504/3		12x10	0,48"x0,39"	6705040010	8020119069646	2 11,82	
	<b>Bayonet joint with spring for RILSAN hose</b> <i>Raccordo a baionetta con molla per fissaggio tubi RILSAN</i>						
	505/1		8x6	0,31"x0,24"	6705050006	8020119069653	2 7,03
	505/2		10x8	0,39"x0,31"	6705050008	8020119069660	2 7,52
505/3		12x10	0,48"x0,39"	6705050010	8020119069677	2 8,75	
	<b>Bayonet joint with tail fitting</b> <i>Raccordo a baionetta con resca</i>						
	365/1		6	0,24"	6743650006	8020119063415	1 7,10
365/2		8	0,31"	6743650008	8020119063422	1 7,10	
	<b>Bayonet joint with rubber hose sleeve</b> <i>Raccordo a baionetta con mascherina portagomma</i>						
	385/1		6x14	0,24"	6743850006	8020119069684	1 6,72
385/2		8x17	0,31"	6743850008	8020119069691	1 7,14	
	<b>Male threaded bayonet joint (M)</b> <i>Raccordo a baionetta filettato maschio (M)</i>						
	M						
390/1	1/4"			6743900014	8020119063453	1 4,98	
390/2	3/8"			6743900038	8020119069707	1 5,54	
	<b>Female threaded bayonet joint (F)</b> <i>Raccordo a baionetta filettato femmina (F)</i>						
	F						
395/1	1/4"			6743950014	8020119069714	1 4,98	
395/2	3/8"			6743950038	8020119069721	1 5,64	
	<b>Bayonet joints gasket</b> <i>Guarnizione per raccordi a baionetta</i>						
396				6743961000	8020119063460	10 4,09	

	Item / Articolo	Type Tipo	Ø mm	Ø ins		EAN Code	Pz.	€
	ASK universal snap coupling with joint tail fitting for PVC and POLYURETHANE hose <i>Rubinetto rapido universale ASK con resca per tubo in PVC e POLIURETANO</i>	466/1 UNIV.	6	0,24"	6744660600	8020119069738	1	28,28
		466/2 UNIV.	8	0,31"	6744660800	8020119069745	1	28,28
	ASK universal snap coupling with spring for RILSAN hose <i>Rubinetto rapido universale ASK con molla per tubo RILSAN</i>	467/1 UNIV.	8x6	0,31"x0,24"	6704670800	8020119069752	1	29,64
		467/2 UNIV.	10x8	0,39"x0,31"	6704671000	8020119069769	1	27,19
		467/3 UNIV.	12x10	0,47"x0,39"	6704671200	8020119069776	1	27,51
	ASK universal snap coupling with rubber hose sleeve <i>Rubinetto rapido universale ASK con mascherina portagomma</i>	468/1 UNIV.	6x14	0,24"x0,55"	6704680600	8020119069783	1	26,99
		468/2 UNIV.	8x17	0,31"x0,67"	6704680800	8020119069790	1	29,99
	ASK universal snap coupling with female threaded joint <i>Rubinetto rapido universale ASK con raccordo filettato femmina</i>			F				
		469/1 UNIV.	1/4"		6744691400	8020119067673	1	27,43
		469/2 UNIV.	3/8"		6744693800	8020119067680	1	28,64
		469/3 UNIV.	1/2"		6744691200	8020119067697	1	29,20
	ASK universal snap coupling with male threaded joint <i>Rubinetto rapido universale ASK con raccordo filettato maschio</i>			M				
		470/1 UNIV.	1/4"		6744701400	8020119067703	1	28,28
		470/2 UNIV.	3/8"		6744703800	8020119067710	1	28,50
		470/3 UNIV.	1/2"		6744701200	8020119067727	1	29,20
	Universal snap coupling with joint tail fitting for PVC and POLYURETHANE hose <i>Rubinetto rapido universale con resca per tubo in PVC e POLIURETANO</i>	456/1 UNIV.	6	0,24"	6704560600	8020119063545	1	8,25
		456/2 UNIV.	8	0,31"	6704560800	8020119063552	1	8,25
		456/3 UNIV.	10	0,39"	6704561000	8020119069844	1	8,25
	Universal snap coupling with spring for RILSAN hose <i>Rubinetto rapido universale con molla per tubo RILSAN</i>	457/1 UNIV.	8x6	0,31"x0,24"	6704570800	8020119063569	1	9,53
		457/2 UNIV.	10x8	0,39"x0,31"	6704571000	8020119069851	1	9,53
		457/8 UNIV.	12x10	0,47"x0,39"	6704571200	8020119069868	1	12,67
	Universal snap coupling with rubber hose sleeve <i>Rubinetto rapido universale con mascherina portagomma</i>	458/1 UNIV.	6x14	0,24"x0,55"	6704580600	8020119069875	1	9,87
		458/2 UNIV.	8x17	0,31"x0,67"	6704580800	8020119069882	1	10,11
	Universal snap coupling with female threaded joint <i>Rubinetto rapido universale con raccordo filettato femmina</i>			F				
		459/1 UNIV.	1/4"		6744591400	8020119063576	1	8,99
		459/2 UNIV.	3/8"		6744593800	8020119063583	1	8,99
		459/3 UNIV.	1/2"		6744591200	8020119067192	1	10,08
	Universal snap coupling with male threaded joint <i>Rubinetto rapido universale con raccordo filettato maschio</i>			M				
		460/1 UNIV.	1/4"		6744601400	8020119063590	1	7,59
		460/2 UNIV.	3/8"		6744603800	8020119063606	1	8,25
		460/3 UNIV.	1/2"		6744601200	8020119067185	1	6,06
	Snap coupling with milled nut <i>Innesto rapido con dado fresato</i>	444/1	I		6744440001	8020119069899	1	6,09
		444/2	D		6744440002	8020119063477	1	6,09

Item / Articolo	Type Tipo	Ø mm	Ø ins	Blister	EAN Code	Pz.	€
 <p>Snap coupling with hose tail fitting <i>Innesto rapido con resca</i></p>	445/1	I	6	0,24"	6744450601	8020119069905	1 5,11
	445/2	D	6	0,24"	6744450602	8020119069912	1 5,11
	445/3	I	8	0,31"	6744450801	8020119069929	1 5,11
	445/4	D	8	0,31"	6744450802	8020119069936	1 5,11
 <p>Snap coupling with bayonet joint <i>Innesto rapido con raccordo a baionetta</i></p>	446/1	I			6744460001	8020119063484	1 5,54
	446/2	D			6744460002	8020119069943	1 5,54
 <p>Snap coupling with joint for RILSAN hose <i>Innesto rapido con molla per tubo RILSAN</i></p>	447/1	I	8x6	0,31"x0,24"	6704470801	8020119063491	1 7,08
	447/2	I	10x8	0,39"x0,31"	6704471001	8020119067208	1 7,45
	447/5	I	12x10	0,47"x0,39"	6704471201	8020119069950	1 8,12
 <p>Snap coupling with rubber hose sleeve <i>Innesto rapido con mascherina portagomma</i></p>	448/1	I	6x14	0,24"x0,55"	6744480601	8020119069967	1 6,90
	448/2	I	8x17	0,31"x0,67"	6744480801	8020119069974	1 7,21
 <p>Snap coupling with female threaded joint <i>Innesto rapido con raccordo filettato femmina</i></p>		F					
	449/1	I	1/4"		6744491401	8020119063507	1 4,97
	449/2	D	1/4"		6744491402	8020119067239	1 5,11
	449/6	I	3/8"		6744493801	8020119063514	1 5,54
 <p>Snap coupling with male threaded joint <i>Innesto rapido con raccordo filettato maschio</i></p>		M					
	450/1	I	1/4"		6744501401	8020119063521	1 4,69
	450/2	D	1/4"		6744501402	8020119067215	1 4,83
	450/6	I	3/8"		6744503801	8020119063538	1 5,11
 <p>8 pcs set, of universal quick-release fittings <i>Set 8 pezzi, raccordi rapidi universali</i></p>	460/1				6704600040	8020119084496	1 20,30
 <p>Sliding tap with bayonet joint and rubber hose sleeve <i>Rubinetto a corsoio con raccordo a baionetta e mascherina portagomma</i></p>	480/1	I	6x14	0,24"x0,55"	6704800006	8020119069981	2 18,61
	480/2	I	8x17	0,31"x0,67"	6704800008	8020119069998	2 19,25
 <p>Sliding tap with milled nut and male threaded joint <i>Rubinetto a corsoio con dado fresato e raccordo filettato maschio</i></p>		M					
	482/1	1/4"			6704820014	8020119070000	1 8,57
482/2	3/8"			6704820038	8020119070017	1 9,42	

Accessories  
Accessori



Item / Articolo	Type Tipo	Ø mm	Ø ins	B blister	EAN Code	Pz.	€
<b>"O" clip</b> <b>Fascetta stringitubo gomma</b>	<b>361/0</b>	13x15	0,51"x0,59"	6743611315	8020119063408	5	6,09
	<b>361/1</b>	17x20	0,66"x0,78"	6743611720	8020119067345	5	6,66
	<b>361/2</b>	11x15	0,43"x0,59"	6743611113	8020119067338	5	6,09

Accessories  
Accessori



Item / Articolo	B blister	EAN Code	Pz.	€
<b>6 Hose clamps 6-11 / 8-13</b> <b>6 Fascette stingibuco 6-11 / 8-13</b>	6743610100	8020119084403	6	3,90

Accessories  
Accessori



Item / Articolo	B blister	EAN Code	Pz.	€
<b>4 Hose clamps</b> <b>4 Fascette stringitubo</b>	6743610200	8020119084410	4	7,30

Accessories  
Accessori



Item / Articolo	B blister	EAN Code	Pz.	€
<b>Teflon tape</b> <b>Nastro Teflon</b>	6741200000	8020119084427	1	3,20



Accessories  
Accessori






Item / Articolo	B blister	EAN Code	Pz.	€
<b>Adhesive sealant for fittings</b> <b>Colla sigillante per raccordi</b>	6035000044	8020119084366	1	3,80





Item / Articolo	Type Tipo	Blister 	EAN Code	Pz.	bar	psi	€	
 <b>490/1</b> <b>490</b> <b>490/2</b>	<b>Drain valve (M)</b> <b>unremovable plug (art. 490 only)</b> <b>Rubinetto di spurgo (M)</b> <b>tappo antisvitamento (solo art. 490)</b>		M					
	<b>490</b>	1/4"	6744880014	8020119070024	1		6,30	
	<b>490/1</b>	1/4"	6744900014	8020119063613	1		4,75	
	<b>490/2</b>	3/8"	6744900038	8020119063620	1		5,35	
	<b>Drain valve (M) - unremovable plug (art. 490 only)</b> <b>Rubinetto di linea con disco</b> <b>di tenuta in P.T.F.E. (FF)</b>		FF					
	<b>491/1</b>	1/4"	6744910014	8020119070031	1		11,49	
	<b>491/2</b>	3/8"	6744910038	8020119070048	1		11,62	
	<b>Line valve with P.T.F.E. sealing ring (FM)</b> <b>Rubinetto di linea con disco</b> <b>di tenuta in P.T.F.E. (MF)</b>		FM					
	<b>492/1</b>	1/4"	6744920014	8020119070055	1		11,49	
	<b>492/2</b>	3/8"	6744920038	8020119070062	1		11,62	
	<b>Line ball valve (FF)</b> <b>Rubinetto di linea a sfera</b>		FF					
	<b>495/1</b>	1/4"	6704950014	8020119070079	1		12,60	
	<b>495/2</b>	3/8"	6704950038	8020119070086	1		12,00	
	<b>495/3</b>	1/2"	6704950012	8020119070093	1		11,97	
	<b>495/4</b>	3/4"	6704950034	8020119070109	1		15,50	
	<b>Line valve with milled nut (M)</b> <b>Rubinetto di linea con dado fresato</b>		M					
	<b>499/1</b>	1/8"	6744990018	8020119070116	1		9,53	
	<b>499/2</b>	1/4"	6744990014	8020119063637	1		9,88	
	<b>499/3</b>	3/8"	6744990038	8020119063644	1		9,88	
	<b>Pre-set safety valve sealed by means of a plastic cap</b> <b>Valvola di sicurezza pretarata e sigillata con cappuccio in materiale plastico</b>		M					
	<b>570/1</b>	1/4"	6745701408	8020119070123	1	8,5	123,00	5,04
	<b>570/2</b>	1/4"	6745701410	8020119070130	1	10,5	152,00	5,04
	<b>570/3</b>	3/8"	6745703812	8020119070147	1	12	174,00	7,42



Item / Articolo	Tipo Type	Phases Fasi	Inlets Entrate	Blister	EAN Code	Pz.	€
<b>Pressostato con valvola START incorporata</b> <i>Pressure switch with built-in START valve</i>							
	871/1	1	4x1/4"F	6708714002	8020119063675	1	35,92






Item / Articolo	Tipo Type	l/min	C.F.M.	m <sup>3</sup> /h	Inlets Entrate	Outlets Uscite	bar	psi	Blister	EAN Code	Pz.	€
<b>Pressure regulator with gauge and line valve</b> <i>Regolatore di pressione con manometro e rubinetto di linea</i>												
	970	180	6.4	10,8	1/4"F	UNIV	0÷12	0÷174	6719700000	8020119063835	1	27,62


<b>Pressure regulator</b> <i>Regolatore di pressione</i>												
	980	180	6.4	10,8	1/4"F	1/8"F+1/4"F			6709800000	8020119070154	1	16,11



<b>Pressure regulator with pressure gauge and 2 line valves bayonet joint</b> <i>Regolatore di pressione con filtro, manometro e 2 rubinetti di linea raccordo a baionetta</i>												
	950/1	180	6.4	10,8	3/8"M	2xUNIV	0÷12	0÷174	6719600000	8020119063828	1	44,20


<b>Filter with semi-automatic condensate drainage unit. (20 micron filtration level)</b> <i>Filtro con scaricatore di condensa semi-automatico (grado di filtrazione di 20 micron)</i>												
	919/11				1/4"F	1/4"F			6719191411	8020119070161	1	40,88


Item / Articolo	Tipo Type	Oil capacity Punto di rugiada	Inlets Entrate	Outlets Uscite	Blister	EAN Code	Pz.	€
<b>Oil atomiser</b> <i>Nebulizzatore d'olio</i>								
	929/11	42 c.c.	1/4"F	1/4"F	6719291411	8020119070178	1	50,12


Item / Articolo	Type Tipo	bar	psi	B blister	EAN Code	Pz.	€
 <p>Ø 63 gauge with lower joint (M) Manometro Ø 63 con raccordo inferiore (M)</p>	M	0÷20	0÷290	6707400000	8020119067352	1	10,36
 <p>Ø 63 gauge with rear joint (M) Manometro Ø 63 con raccordo laterale (M)</p>	M	0÷20	0÷290	6707500000	8020119070185	1	10,36
 <p>63 gauge with rear joint (M) Manometro Ø 63 con raccordo posteriore (M)</p>	M	0÷20	0÷290	6707600000	8020119070192	1	8,93
 <p>Ø 50 gauge with rear joint (M) Manometro Ø 50 con raccordo posteriore (M)</p>	M	0÷16	0÷232	6707800000	8020119063651	1	9,52
 <p>Ø 40 gauge with rear joint (M) Manometro Ø 40 con raccordo posteriore (M)</p>	M	0÷12	0÷174	6707900000	8020119063668	1	7,42




Item / Articolo	Type Tipo	ø mm	ø ins	L m.	L feet	bar	psi	B blister	EAN Code	Pz.	€
	1140/2000 UNIV	6x8	0,24"x0,31"	5	16.5	29	420	6211402000	8020119046128	1	21,56
	1140/36 UNIV	6x8	0,24"x0,31"	10	33	29	420	6711400036	8020119063699	1	15,33
	1140/38 UNIV	6x8	0,24"x0,31"	20	66	29	420	6711400038	8020119063705	1	21,00
	1140/5 Bayonet	6x8	0,24"x0,31"	5	16.5	29	420	6711400005	8020119063712	1	28,42
	1140/10 Bayonet	6x8	0,24"x0,31"	10	33	29	420	6711400010	8020119063279	1	31,50
	1140/20 Bayonet	6x8	0,24"x0,31"	20	66	29	420	6711400020	8020119063286	1	37,24

Item / Articolo	Type Tipo	Cod.	EAN Code	ø mm	ø ins	F	L m.	L feet	bar	psi	€
 <p>Enclosed "Compact" hose reel Arrotolatore carterato "Compact"</p>	2253/1	6022530010	8020119048078	6x10	0,24"x0,39	1/4"	10	33	12	174	163,29
 <p>Automatic hose reel Avvolgitubo automatico</p>	2253/2	6022530020	8020119084519	8x12	0,31"x0,47	1/4"	10	33	12	174	199,00





Item / Articolo	Type / Tipo	Cod.	EAN Code	ø mm	ø ins	bar	psi	€
 <p>Wired PVC hose in skeins of 10/20 mt. complete with 2F 1/4"  <i>Tubo PVC retinato in matasse da 10 / 20 mt. con raccordi premontati 2F 1/4"</i></p>	1131/1	mt. 10	6711310810	8020119070208	8x13	0,31"x0,51"	20 290	31,50
	1131/2	mt. 20	6711310820	8020119070215	10x17	0,39"x0,66"	20 290	48,58


 <p>Wired PVC hose in skeins of 7,5/10/20 mt. complete with universal couplings  <i>Tubo PVC retinato in matasse da 7,5/10/20 mt. con raccordi premontati universali</i></p>	1131/5	mt. 7,5	6711310750	8020119084465	6x11	0,24"x0,43"	20 290	17,50
	1131/3	mt. 10	6711310800	8020119067628	8x13	0,31"x0,47"	20 290	34,16
	1131/4	mt. 20	6711310900	8020119067635	8x13	0,31"x0,47"	20 290	51,24

 <p>Wired PVC hose in skeins of 20 mt. complete with universal couplings  <i>Tubo PVC retinato in matasse da 20 mt. con raccordi premontati universali</i></p>	1131/6	mt. 20	6711311020	8020119084472	10x17	0,39"x0,66"	20 290	58,00
--	--------	--------	------------	---------------	-------	-------------	--------	-------


Item / Articolo	Tipo Type	Blister	EAN Code	Pz.	€
 <p>Pistola dio soffiaggio standard  <i>Standard blowing pistol</i></p>	1150/1	6211500004	8020119046173	1	10,79
 <p>Plastic curved nozzle professional blowing pistol  <i>Pistola di soffiaggio in nylon professionale a canna curva</i></p>	1151	6711510000	8020119063729	1	16,62
 <p>Long nozzle blowing pistol  <i>Pistola di soffiaggio a canna lunga</i></p>	1160	6711600000	8020119063736	1	10,95


Item / Articolo	Type / Tipo	bar	psi	Blister	EAN Code	Pz.	€										
 <p><b>Sand blasting pistol with dip tube</b> <i>Pistola per sabbiatura con tubo pescante</i></p>	1540	8÷12	116÷174	6715401000	8020119063736	46,50	13,20										
				 <table border="1"> <thead> <tr> <th>Cod. spare part ricambio</th> <th>EAN Code</th> <th>ø</th> <th>Pz.</th> <th>€</th> </tr> </thead> <tbody> <tr> <td>6715400010</td> <td>8020119084533</td> <td>6</td> <td>1</td> <td>4,20</td> </tr> </tbody> </table>	Cod. spare part ricambio	EAN Code	ø	Pz.	€	6715400010	8020119084533	6	1	4,20			
Cod. spare part ricambio	EAN Code	ø	Pz.	€													
6715400010	8020119084533	6	1	4,20													
 <p><b>Pressure gauge</b> <i>Manometro prova pressione</i></p>	1170/2	0÷12	0÷174	6711700012	8020119063743	1	20,19										
 <p><b>Inflating pistol with double scale pressure gauge</b> <i>Pistola di gonfiaggio con manometro a doppia scala</i></p>	1180/1	0÷12	0÷174	6211800004	8020119046159	1	25,79										
 <p><b>Inflating pistol with "CE" pressure gauge</b> <i>Pistola di gonfiaggio con manometro omologato "C.E."</i></p>	1186	0÷12	0÷174	6211860003	8020119052464	1	37,39										
 <p><b>Inflating nozzle for car tyres</b> <i>Testina di gonfiaggio pneumatici auto</i></p>	1110			6741100000	8020119063682	1	6,87										
 <p><b>Inflating nozzle kit including:</b> inflating nozzle for bicycle tyres, inflating nozzle for footballs, blowing / inflating nozzle for dinghys.</p> <p><b>Kit accessori gonfiaggio completo di:</b> testina di gonfiaggio pneumatici, ago gonfiaggio palloni, testina soffiaggio e gonfiaggio canotti.</p>	1110/5			6741890000	8020119046135	3	7,34										
 <p><b>Kit of 3 accessories (5-m hose + inflation pistol + set of nozzles)</b> <i>Kit 3 accessori (tubo 5m + pistola di gonfiaggio + set ugelli)</i></p>	1870	0÷12	0÷174	6718700050	8020119084434	5	44,50										

	Item / Articolo	Type/ Tipo	Cod.	EAN Code	Pz.	€
	<p><b>Air Kit:</b> inflating gun with pressure gauge, spring hose 5 m, head inflating bikes, aug inflating balloons, head inflating dinghy</p> <p><b>Air Kit:</b> <i>pistola di gonfiaggio con manometro, tubo spirale da 5 mt, testina gonfiaggio biciclette, ago gonfiaggio palloni, testina gonfiaggi canotto</i></p>		1870/U	6718700049	8020119080290	5 22,00
	<p><b>Air Kit:</b> inflating gun with pressure gauge, France approved , spring hose 5 m, head inflating bikes, aug inflating balloons, head inflating dinghy</p> <p><b>Air Kit:</b> <i>pistola di gonfiaggio con manometro omologata Francia, tubo spirale da 5 mt, testina gonfiaggio biciclette, ago gonfiaggio palloni, testina gonfiaggi canotto</i></p>		1870/8	6718700048	8020119079928	5 44,50
	<p><b>Air Kit:</b> inflating gun with pressure gauge, spring hose 5 m, blow pistol</p> <p><b>Air Kit:</b> <i>pistola di gonfiaggio con manometro, tubo spirale da 5 mt, pistola di soffiaggio</i></p>		1870/1	6018700051	8020119088579	3 33,00
	<p><b>Air/water pistol</b> <i>Pistola aria/acqua</i></p>		1460/1	6714600001	8020119063750	1 20,92
	<p><b>Washing pistol</b> <i>Pistola di lavaggio</i></p>		1450	6214500004	8020119048061	1 25,40
	<p><b>Painting kit</b> <i>Kit per pittura</i></p>		1869/8	6718690008	8020119064863	1 59,50


Item / Articolo	Type/ Tipo	Bliester	EAN Code	Pz.	€
 <p><b>Sand-blasting pistol with 2.2 lb. suction cup</b>  <i>Pistola per sabbiatura con serbatoio inferiore da 1 kg</i></p>	1540	6715400000	8020119063767	1	29,11


 <p><b>Anti-noise treatment spray pistols</b>  <i>Pistole per trattamenti insonorizzanti</i></p>	1550/1	6715500000	8020119067369	31,00
	1551/1	6715510000	8020119068823	32,60


 <p><b>Pistola antirombo con cartuccia (nero)</b>  <i>Acoustic insulator spray pistol with cartridge (black)</i></p>	1550	6715500002	8020119084724	2	40,00
---	------	------------	---------------	---	-------





 <p><b>Acoustic insulator spray cartridge (black)</b>  <i>Cartuccia antirombo (nero)</i></p>	1551	6035000052	8020119084731	1	16,00
---	------	------------	---------------	---	-------





Item / Articolo	Type/ Tipo	Bliester	EAN Code	ø ugello / nozzle	€
 <p><b>Mini gravity feed paint spray pistol with 120 cm³ paint cup:</b> Air flow adjustment, paint flow adjustment, round and fan pattern spray</p> <p><i>Mini pistola di verniciatura con serbatoio superiore da 120 cm³: Regolazione aria, regolazione flusso vernice, getto a rosa e ventaglio</i></p>	1810	6718100000	8020119084540	1	36,50
	<b>Cod. spare part ricambio</b>	<b>EAN Code</b>	<b>ø ugello nozzle</b>	<b>Pz.</b>	<b>€</b>
	6718100010	8020119084557	1	3	14,00

Item / Articolo	Type/ Tipo	Blister	EAN Code	ø ugello / nozzle	€					
 <p><b>Spray gun with bayonet lock suction cup:</b> Air flow adjustment, paint flow adjustment, cup capacity: 2.2 lb., round and fan pattern spray</p> <p><b>Aerografo con serbatoio inferiore a chiusura baionetta:</b> Regolazione aria, regolazione flusso vernice, capacità serbatoio: 1 kg, getto a rosa e ventaglio</p>	1850/2	6218500004	8020119046180	1,5	46,15					
						<b>Cod. spare part ricambio</b>	<b>EAN Code</b>	<b>ø ugello nozzle</b>	<b>Pz.</b>	<b>€</b>
						6718511012	8020119070574	1,2	1	11,20
						6718511015	8020119070581	1,5	1	11,20
						6718511018	8020119070598	1,8	1	11,20
						6718511020	8020119070604	2	1	11,20
6718511025	8020119070611	2,5	1	11,20						

 <p><b>Spray gun with clamp type suction cup:</b> Air flow adjustment, paint flow adjustment, cup capacity: 2.2 lb., round and fan pattern spray</p> <p><b>Aerografo con serbatoio inferiore a chiusura autoclave:</b> Regolazione aria, regolazione flusso vernice, capacità serbatoio: 1 kg, getto a rosa e ventaglio</p>	1851/2	6718510015	8020119063774	1,5	87,50					
						<b>Cod. spare part ricambio</b>	<b>EAN Code</b>	<b>ø ugello nozzle</b>	<b>Pz.</b>	<b>€</b>
						6718511012	8020119070574	1,2	1	11,20
						6718511015	8020119070581	1,5	1	11,20
						6718511018	8020119070598	1,8	1	11,20
						6718511020	8020119070604	2	1	11,20
6718511025	8020119070611	2,5	1	11,20						

 <p><b>Spray gun with gravity cup:</b> Air flow adjustment, paint flow adjustment, cup capacity: 1.1 lb., round and fan pattern spray</p> <p><b>Aerografo con serbatoio superiore:</b> Regolazione aria, regolazione flusso vernice, capacità serbatoio: 0,5 kg, getto a rosa e ventaglio</p>	1852/2	6718520015	8020119063811	1,5	45,00					
						<b>Cod. spare part ricambio</b>	<b>EAN Code</b>	<b>ø ugello nozzle</b>	<b>Pz.</b>	<b>€</b>
						6718511012	8020119070574	1,2	1	11,20
						6718511015	8020119070581	1,5	1	11,20
						6718511018	8020119070598	1,8	1	11,20
						6718511020	8020119070604	2	1	11,20
6718511025	8020119070611	2,5	1	11,20						

 <p><b>Spray gun with clamp type suction cup:</b> Air flow adjustment, paint flow adjustment, cup capacity: 2.2 lb., round and fan pattern spray</p> <p><b>Aerografo professionale con serbatoio inferiore a chiusura autoclave:</b> Regolazione aria, regolazione flusso vernice, capacità serbatoio: 1 kg, filtro vernice, getto a rosa e ventaglio, getto a ventaglio regolabile in ampiezza, HVLP</p>	1855/2	6718550015	8020119070222	1,5	128,20					
						<b>Cod. spare part ricambio</b>	<b>EAN Code</b>	<b>ø ugello nozzle</b>	<b>Pz.</b>	<b>€</b>
						6718551018	8020119070239	1,5	3	11,20
										
										
										

 <p><b>Spray gun with gravity cup:</b> Air flow adjustment, paint flow adjustment, cup capacity: 1.1 lb., round and fan pattern spray</p> <p><b>Aerografo professionale con serbatoio superiore:</b> Regolazione aria, regolazione flusso vernice, capacità serbatoio: 0,5 kg, filtro vernice, getto a rosa e ventaglio, getto a ventaglio regolabile in ampiezza, HVLP</p>	1856/2	6718560015	8020119070246	1,5	102,30					
						<b>Cod. spare part ricambio</b>	<b>EAN Code</b>	<b>ø ugello nozzle</b>	<b>Pz.</b>	<b>€</b>
						6718551018	8020119070239	1,5	3	11,20
										
										
										







Type / Tipo	Cod.	EAN Code	€
Complete gondola <i>Gondola completa</i>	6230030000	8020119075470	2.500,00
<b>Complete gondola in composed of <i>La gondola completa è composta da</i></b>			
	Cod.		Pz.
Empty gondola <i>Gondola vuota</i>	6130040000		1
Painting kit <i>Kit di pittura</i>	6718690008		3
Recoil hose complete with universal couplings 10 mt <i>Tubo spirale 10 mt completo di raccordi universali</i>	6711400036		3
Spray pistol with bayonet lock suction cup <i>Aerografo con serbatoio inferiore a chiusura baionetta</i>	6218500004		3
Spray pistol with gravity cup <i>Aerografo con serbatoio superiore</i>	6718520015		3
Sand-blasting pistol with suction cup <i>Pistola per sabbiatura con serbatoio superiore</i>	6715401000		3
Professional blowing pistol <i>Pistola di soffiaggio professionale</i>	6711510000		5
Inflation pistol with double scale pressure gauge <i>Pistola di gonfiaggio con manometro a doppia scala</i>	6211800004		5
Air/water pistol <i>Pistola aria/acqua</i>	6714600001		5
Blowing pistol <i>Pistola di soffiaggio</i>	6211500004		5
Pressure regulator with gauge and line valve <i>Regolatore di pressione con manometro e rubinetto di linea</i>	6719700000		3
Pressure gauge <i>Manometro</i>	6711700012		5
Long nozzle blowing pistol <i>Pistola di soffiaggio a canna lunga</i>	6711600000		5
Universal snap coupling with male threaded joint <i>Rubinetto rapido universale con raccordo filettato maschio</i>	6744601400		5
Snap coupling with female threaded joint <i>Innesto rapido con raccordo filettato femmina</i>	6744491402		5
Universal snap coupling with female threaded <i>Rubinetto rapido con raccordo filettato femmina</i>	6744591400		5
Snap coupling with male threaded joint <i>Rubinetto rapido con raccordo filettato maschio</i>	6744501402		5
Snap coupling with milled nut <i>Innesto rapido con dado fresato</i>	6744440002		5
Snap coupling with bayonet joint <i>Innesto rapido con raccordo a baionetta</i>	6744460002		5
Inflating nozzle <i>Testina di gonfiaggio</i>	6741100000		5
Inflating nozzle kit including <i>Kit Accessori gonfiaggio</i>	6741890000		5
Kit 5 pcs. <i>Kit 5 pezzi</i>	6018780000		4
Kit 49 pcs. <i>Kit 49 pezzi</i>	6010960000		2



**Foot pump with homologated gauge**  
**Pompa a piede con manometro omologato**

Type / Tipo	Cod.	EAN Code	€
9500	6036009501	3321320095010	57,50

**Paint spraying tool**  
**Verniciatore**





Type / Tipo	Cod.	EAN Code	€
MCX1	6701160070	8020119066843	177,50












■ Motor power 550 Watt <i>Potenza motore 550 Watt</i>	■ Air displacement 1450 ltr/min <i>Aria aspirata 1450 ltr/min</i>	■ Max working pressure 0,15 bar <i>Pressione massima di lavoro 0,15 bar</i>	■ Air receiver spray pistol 1 ltr <i>Serbatoio aerografo 1 ltr</i>	■ Weight 3 Kg <i>Peso 3 Kg</i>
■ Nozzle dimensions ø 1,3 mm - 3,0 mm <i>Dimensione ugello ø 1,3 mm - 3,0 mm</i>	■ Hose length 2 mt <i>Tubo da 2 mt</i>	■ MCX1 includes spray pistol, hose, viscosity-meter, inflating nozzle <i>MCX1 include: aerografo, tubo, viscosimetro, ugell</i>		

**Accessories**  
**Accessori**









	Cod.	EAN Code	€
 <b>Hose / Tubo</b>	9000000124	8020119090084	30,00
 <b>Filter / Filtro</b>	9000000018	8020119066683	20,00

**Dry vacuum cleaner**  
**Aspiratore solidi**


Type Tipo	Cod.	EAN Code	Tank material Materiale	Capacity suction Capacità di aspirazione												€
				kPa	Volt/Hz/Ph	dB(A)	ø mm	mm	mm	Ltr	Watt	Kg				
<b>VCX 16-600</b>	9000580000	8020119066638	Metal	600 mm/H2O	230/50/1	58	35	1100	3000	15	600	-	3.5	36	127,00	



**Accessories**  
**Accessori**







	Cod.	EAN Code	€
 1.3 m hose - ø 32 with handle <i>Tubo flessibile mt 1,3 - ø 32 con impugnatura</i>	9000910060	8020119090121	37,50
 Lance ø 32 mm <i>Lancia piatta ø 32 mm</i>	9000910050	8020119090114	8,80
 Extension tubes ø 32 (2 pcs.) <i>Tubi di prolunga ø 32 (2 pz.)</i>	9000910040	8020119090107	25,00
 Brush L 250 mm <i>Spazzola L 250 mm</i>	9000910070	8020119090138	20,50
 Hood fluid <i>Cappuccio liquidi</i>	9000910030	8020119086117	7,40
 5 x 20 liter bag paper <i>5 x sacchetto carta 20 lt</i>	9000910020	8020119086124	13,70

**Aspiratore solidi/liquidi**  
**Wet-dry vacuum cleaner**


Type Tipo	Cod.	EAN Code	Tank material Materiale serbatoio aspirazione	Capacity suction Capacità di aspirazione												€
					kPa	ltr/sec	Volt/Hz/Ph	dB(A)	ø mm	mm	mm	Ltr	Watt	Kg		
VCX 20-1400 L ABS	9000910000	8020119083680	ABS	1575 mm/H2O	80	230/50/1	58	32	1800	3600	3600	1400	-	6	48	92,00



**Accessories**  
**Accessori**

	Cod.	EAN Code	€
 1.3 m hose - ø 36 with handle <i>Tubo flessibile mt 1,3 - ø 36 con impugnatura</i>	9000000153	8020119079737	22,50
 Small nozzle ø 36 mm <i>Bocchetta piccola ø 36 mm</i>	9000000154	8020119079744	2,70
 Lance ø 36 mm <i>Lancia piatta ø 36 mm</i>	9000000155	8020119079751	2,20
 Extension tubes ø 36 (2 pcs.) <i>Tubi di prolunga ø 36 (2 pz.)</i>	9000000156	8020119079768	3,70
 Brush L 300 mm <i>Spazzola L 300</i>	9000000158	8020119079782	4,70
 Polyester filter ø 34 mm <i>Filtro poliestere ø 34 mm</i>	9000000159	8020119079799	35,00

**Aspiratore solidi**  
**Dry vacuum cleaner**

Type Tipo	Cod.	EAN Code	Tank material Materiale serbatoio aspirazione	Capacity suction Capacità di aspirazione												€
					kPa	ltr/sec	Volt/Hz/Ph	dB(A)	ø mm	mm	mm	Ltr	Watt	Kg		
VCX 24-1250 INOX	9000830000	8020119057889	Metal	1530 mm/H2O	69	230/50/1	58	36	1300	3000	21	1250	-	9	24	226,50
VCX 24-1250 PE INOX	9000840000	8020119057896	Metal	1530 mm/H2O	69	230/50/1	58	36	1300	3000	21	1250	•	9.5	24	255,00

PS: Power socket  
PE: Presa elettrica



**Accessories**  
**Accessori**

	Cod.	EAN Code	€
1.3 m hose - ø 36 with handle <i>Tube flessibile mt 1,3 - ø 36 con impugnatura</i>	9000000153	8020119079737	22,50
Small nozzle ø 36 mm <i>Bocchetta piccola ø 36 mm</i>	9000000154	8020119079744	2,70
Lance ø 36 mm <i>Lancia piatta ø 36 mm</i>	9000000155	8020119079751	2,20
Extension tubes ø 36 (2 pcs.) <i>Tubi di prolunga ø 36 (2 pz.)</i>	9000000156	8020119079768	3,70
Brush L 300 mm <i>Spazzola L 300</i>	9000000158	8020119079782	4,70
Polyester filter ø 34 mm <i>Filtro poliestere ø 34 mm</i>	9000000159	8020119079799	35,00

**Dry vacuum cleaner**  
**Aspiratore solidi**

Type Tipo	Cod.	EAN Code	Tank material Materiale serbatoio aspirazione	Capacity suction Capacità di aspirazione											€
					kPa	ltr/sec	Volt/Hz/Ph	dB(A)	ø mm	mm	mm	Ltr	Watt	Kg	
VCX 30-1500 PE INOX	9000850000	8020119057902	Metal	1530 mm/H2O	69	230/50/1	58	36	1300	3000	30	1250	10	18	273,00

PS: Power socket  
PE: Presa elettrica



**Accessories**  
**Accessori**

	Cod.	EAN Code	€
1.3 m hose - ø 36 with handle <i>Tube flessibile mt 1,3 - ø 36 con impugnatura</i>	9000000153	8020119079737	22,50
Small nozzle ø 36 mm <i>Bocchetta piccola ø 36 mm</i>	9000000154	8020119079744	2,70
Lance ø 36 mm <i>Lancia piatta ø 36 mm</i>	9000000155	8020119079751	2,20
Extension tubes ø 36 (2 pcs.) <i>Tubi di prolunga ø 36 (2 pz.)</i>	9000000156	8020119079768	3,70
Brush L 300 mm <i>Spazzola L 300</i>	9000000158	8020119079782	4,70
Polyester filter ø 34 mm <i>Filtro poliestere ø 34 mm</i>	9000000159	8020119079799	35,00











**Dry vacuum cleaner**  
**Aspiratore solidi**


Type Tipo	Cod.	EAN Code	Tank material Materiale serbatoio aspirazione	Capacity suction Capacità di aspirazione											€
					kPa	ltr/sec	Volt/Hz/Ph	dB(A)	ø mm	mm	mm	Ltr	Watt	Kg	
VCX 50-1500 PE INOX	9000860000	8020119057919	Metal	1530 mm/H2O	69	230/50/1	58	36	1300	3000	50	1250	11	12	356,00

PS: Power socket  
PE: Presa elettrica



Wet-dry vacuum cleaner  
Aspiratore solidi/liquidi











Accessories Accessori	Cod.	EAN Code	€
 Polyester filter $\varnothing$ 34 mm Filtro poliestere $\varnothing$ 44 mm	9000000133	8020119072516	51,50
 Hood fluid L 70 Cappuccio liquidi L 70	9000000134	8020119072523	13,40
 2.5 m hose - $\varnothing$ 40 with handle Tubo flessibile mt 2.5 $\varnothing$ 40 mm	9000000136	8020119072233	35,80
 Lance $\varnothing$ 40 mm Lancia piatta $\varnothing$ 40 mm	9000000137	8020119072660	4,60
 Extension straight steel $\varnothing$ 40 mm Prolunga inox diritta $\varnothing$ 40 mm	9000000138	8020119072622	21,80
 Extension curve steel $\varnothing$ 40 mm Prolunga inox curva $\varnothing$ 40 mm	9000000139	8020119072639	21,80
 Brush L 400 mm $\varnothing$ 40 mm Corpo spazzola L 400 mm $\varnothing$ 40 mm	9000000140	8020119072677	13,50
 Insert liquid L 400 mm Inserto liquidi L 400 mm	9000000141	8020119072684	13,20
 Insert floors L 400 mm Inserto pavimenti L 400 mm	9000000142	8020119072691	13,00
 Brush $\varnothing$ 40 mm Pennello $\varnothing$ 40 mm	9000000143	8020119072646	6,00


Type Tipo	Cod.	EAN Code	Tank material Materiale serbatoio aspirazione	Capacity suction Capacità di aspirazione											
			kPa	ltr/sec	Volt/Hz/Ph	dB(A)	$\varnothing$ mm	mm	mm	Ltr	Watt	Kg	€		
VCX 70-1500 PE INOX	9000870000	8020119057926	Metal	1530 mm/H <sub>2</sub> O	69	230/50/1	65	40	2500	8500	77	1250	• 20	8	712,00

PS: Power socket  
PE: Presa elettrica













Wet-dry vacuum cleaner  
Aspiratore solidi/liquidi


Accessories Accessori	Cod.	EAN Code	€
 Polyester filter $\varnothing$ 34 mm Filtro poliestere $\varnothing$ 44 mm	9000000133	8020119072516	51,50
 Hood fluid L 70 Cappuccio liquidi L 70	9000000134	8020119072523	13,40
 2.5 m hose - $\varnothing$ 40 with handle Tubo flessibile mt 2.5 $\varnothing$ 40 mm	9000000136	8020119072233	35,80
 Lance $\varnothing$ 40 mm Lancia piatta $\varnothing$ 40 mm	9000000137	8020119072660	4,60
 Extension straight steel $\varnothing$ 40 mm Prolunga inox diritta $\varnothing$ 40 mm	9000000138	8020119072622	21,80
 Extension curve steel $\varnothing$ 40 mm Prolunga inox curva $\varnothing$ 40 mm	9000000139	8020119072639	21,80
 Brush L 400 mm $\varnothing$ 40 mm Corpo spazzola L 400 mm $\varnothing$ 40 mm	9000000140	8020119072677	13,50
 Insert liquid L 400 mm Inserto liquidi L 400 mm	9000000141	8020119072684	13,20
 Insert floors L 400 mm Inserto pavimenti L 400 mm	9000000142	8020119072691	13,00
 Brush $\varnothing$ 40 mm Pennello $\varnothing$ 40 mm	9000000143	8020119072646	6,00

Type Tipo	Cod.	EAN Code	Tank material Materiale serbatoio aspirazione	Capacity suction Capacità di aspirazione												
			kPa	ltr/sec	Volt/Hz/Ph	dB(A)	$\varnothing$ mm	mm	mm	Ltr	Watt	Kg	€			
VCX 70-2000 BI 2 ABS	9000630000	8020119072240	ABS	2250 mm/H <sub>2</sub> O	94.4	230/50/1	67	40	2500	8500	77	2100	-	22	8	745,00
VCX 70-3000 BI 3 ABS	9000640000	8020119072257	ABS	2250 mm/H <sub>2</sub> O	141.6	230/50/1	68	40	2500	8500	77	3100	-	25	8	903,00
















**Wet-dry vacuum cleaner**  
**Aspiratore solidi/liquidi**

Accessories Accessori	Cod.	EAN Code	€
 Polyester filter ø 34 mm Filtro poliestere ø 44 mm	9000000133	8020119072516	51,50
 Hood fluid L 70 Cappuccio liquidi L 70	9000000134	8020119072523	13,40
 2.5 m hose - ø 40 with handle Tubo flessibile mt 2.5 ø 40 mm	9000000136	8020119072233	35,80
 Lance ø 40 mm Lancia piatta ø 40 mm	9000000137	8020119072660	4,60
 Extension straight steel ø 40 mm Prolunga inox dritta ø 40 mm	9000000138	8020119072622	21,80
 Extension curve steel ø 40 mm Prolunga inox curva ø 40 mm	9000000139	8020119072639	21,80
 Brush L 400 mm ø 40 mm Corpo spazzola L 400 mm ø 40 mm	9000000140	8020119072677	13,50
 Insert liquid L 400 mm Inserto liquidi L 400 mm	9000000141	8020119072684	13,20
 Insert floors L 400 mm Inserto pavimenti L 400 mm	9000000142	8020119072691	13,00
 Brush ø 40 mm Pennello ø 40 mm	9000000143	8020119072646	6,00

Type Tipo	Cod.	EAN Code	Tank material Materiale serbatoio aspirazione	Capacity suction Capacità di aspirazione											€	
				kPa	ltr/sec	Volt/Hz/Ph	dB(A)	ø mm	mm	mm	Ltr	Watt	Kg			
VCX 70-2000 BI 2 INOX	9000530000	8020119066584	Metal	2250 mm/H2O	94.4	230/50/1	67	40	2500	8500	77	2100	-	22	8	850,00
VCX 70-3000 BI 3 INOX	9000540000	8020119066591	Metal	2250 mm/H2O	141.6	230/50/1	68	40	2500	8500	77	3100	-	25	8	1.008,00

**Optional accessories**  
**Accessori opzionali**

Type Tipo	Cod.	EAN Code	VCX 20 excluding escluso	VCX 20L	VCX 24	VCX 30	VCX 50	VCX 70	VCX 70 BI 2	VCX 70 BI 3	€
 Paper bag 20 liters (10 pcs.) Sacchetto carta 20 lt (10 pz.)	9000000161	8020119079812	○								35,80
 Paper bag 30 liters (10 pcs.) Sacchetto carta 30 lt (10 pz.)	9000000162	8020119079829				○					56,00
 Paper bag 50 liters (5 pcs.) Sacchetto carta 50 lt (5 pz.)	9000000163	8020119079836					○				74,00
 Filter cartridge ø 175 to 140 H Filtro cartuccia ø 175 - 140 H	9000000164	8020119079843	○	○	○	○					43,30
 Brush ø 36 mm Spazzola ø 36 mm	9000000165	8020119079850	○	○	○	○					5,00
 Paper bag 77 ltr Sacchetto carta 77 ltr	9000000144	8020119072707						○	○		4,50
 Polyester bag 77 ltr Sacchetto poliestere 77 ltr	9000000145	8020119072714						○	○		97,00
 Filter cartridge ø 250 mm H 178 to 77 ltr Filtro cartuccia ø 250 mm H 178 - 77 ltr	9000000146	8020119072721						○	○	○	62,80
 Drainage pipe ø 28 mm 77 ltr Tubo drenaggio ø 28 mm 77 ltr	9000000148	8020119072738						○	○	○	60,00
 Nylon filter ø 440 mm 77 ltr Filtro nylon ø 440 mm 77 ltr	9000000149	8020119072745						○	○	○	25,80
 Insert carpets L 400 mm Inserto tappeti L 400 mm	9000000150	8020119072752						○	○	○	12,30
 The storage basket below 450 mm - 77 ltr Cesto portaoggetti basso L 450 mm - 77 ltr	9000000151	8020119072769							○	○	51,00
 The high storage basket 450 mm - 77 ltr Cesto portaoggetti alto L 450 mm - 77 ltr	9000000152	8020119072776							○	○	51,00



**Tool chest  
Carrelli**

Type Tipo	Cod.	EAN Code			€
MTC 3	9119120000	8020119068281	cm 70x33x75h	15 Kg	195,00
■ Accessories storage unit <i>Vano porta accessori</i>	■ 1 compartment <i>1 scompartimento</i>	■ 2 drawers <i>2 cassetti</i>	■ 4 castoring wheels <i>4 ruote girevoli</i>		



**Tool chest  
Carrelli**

Type Tipo	Cod.	EAN Code			€
MTC 5	9119150000	8020119068311	cm 75.5x46x99.5h	51 Kg	553,00
■ Accessories storage unit <i>Vano porta accessori</i>	■ 1 compartment <i>1 scompartimento</i>	■ 4 drawers <i>4 cassetti</i>	■ Key lock <i>Serraturta</i>		
■ 2 castoring wheels with brake <i>2 ruote girevoli con freno</i>		■ 2 castoring wheels <i>2 ruote girevoli</i>			



**Tool chest  
Carrelli**

Type Tipo	Cod.	EAN Code			€
MTC 6	9119160000	8020119068328	cm 83.5x50x91.5h	46 Kg	610,00
■ Accessories storage unit <i>Vano porta accessori</i>	■ 1 compartment <i>1 scompartimento</i>	■ 4 drawers <i>4 cassetti</i>	■ Key lock <i>Serraturta</i>		
■ 1 castoring wheels with brake <i>1 ruota girevoli con freno</i>		■ 3 castoring wheels <i>3 ruote girevoli</i>			



**Tool chest  
Carrelli**

Type Tipo	Cod.	EAN Code			€
MTC 7	9119140000	8020119068304	cm 71.5x46.5x89.5h	71 Kg	665,00
■ Accessories storage unit <i>Vano porta accessori</i>	■ 7 drawers <i>7 cassetti</i>	■ Key lock <i>Serraturta</i>	■ 2 castoring wheels <i>2 ruote girevoli</i>		
■ 2 castoring wheels with brake <i>2 ruote girevoli con freno</i>					



**Tool chest  
Carrelli**

Type Tipo	Cod.	EAN Code			€
MTC 4003	9119070000	8020119068168	67x31.5x26.5 cm	16 Kg	180,00
■ 3 drawers storage unit with handles and key lock <i>3 cassetti con maniglia e serratura</i>					



# Sales and warranty general conditions

## Condizioni generali di vendita e garanzia

FIAC S.p.A. guarantees its products against all design and production defects for a period of 12 months from the date of installation. This date must be submitted to FIAC S.p.A. by fill in the warranty card or the form present on the website [www.fiac.it](http://www.fiac.it). In case of no information from the customer, the warranty will be valid for a period of 12 months from the date of FIAC invoice.

- a) This warranty does not cover parts which, due to the use to their specific use are subject to wear and tear.
- b) Any warranty work must only be performed by FIAC S.p.A. or by a Service Centre authorised by FIAC S.p.A.
- c) Shipments of any goods to FIAC S.p.A. for any type of warranty work must only be carried out after the written authorisation of FIAC S.p.A. who will decide, at its sole discretion, whether to authorise such a return or whether to make use of the services of an Authorised Service Centre. All shipments to FIAC S.p.A. must be made on a carriage-paid basis and shipping costs will be charged for the return to the customer of the products concerned.
- d) This warranty covers the repair or replacement free of charge of components that are recognised to be defective by our authorised technicians.
- e) This warranty does not cover damage caused by accident, negligence or incorrect or improper installation or use, including installation or use that does not comply with the information contained in the "Maintenance Manual". It also ceases to apply if modifications or repairs using non-original FIAC parts are carried out by persons not authorised by FIAC S.p.A. All defective parts replaced under warranty will be retained by the authorised service centre.
- f) This warranty does not cover the repair or the reimbursement of damage caused during transportation (to or from the Authorised Service Centre).
- g) This warranty does not cover any form of reimbursement for damage caused to persons and/or objects deriving from the improper/inappropriate use of the model purchased and/or downtime (it's customer's duty to safeguard itself from this event).
- h) Warranty support for equipment is only available to those customers complying with the contractual and administrative conditions of sale who present specific documentary evidence of the date of purchase.
- i) This is the only warranty recognised as valid by FIAC S.p.A. No-one is authorised to give any other written or verbal warranties, or to modify these terms.

### JURISDICTION

All disputes will be settled by sole reference to the Bologna Court.

### 1 - TERMS OF SALE

The submission of orders for the purchase of FIAC S.p.A. products implies acceptance, without reservations, of the following terms of supply which are an integral part of the sales contract. Any variations must be approved by FIAC S.p.A. by an order confirmation, which will be sent only on request of the customer, and which will only apply to that specific order.

### 2 - ORDERS

Orders are always received by FIAC S.p.A. with the clause "subject to acceptance by the company". Submission of an order implies acceptance by the customer of the stated terms of supply. Orders from customers are firm and binding and cannot be reduced or cancelled, unless the delivery time exceeds by three (3) months that communicated in writing by FIAC S.p.A.

If on submission of the order the product code is not consistent with the product description, then reference will be made to the product code. Orders placed via our agents, representatives or salespersons are always subject to acceptance by FIAC S.p.A. Accordingly, they are only binding if confirmed by the sending of an Order Confirmation (on request of the customer).

With regard to orders of less than Euro 150.00 net (taxable value of goods), payment terms are cash-on-delivery or in advance and an additional charge of Euro 10.00 will be added to the invoice to cover fixed expenses. Goods are sold on an ex works basis.

### 3 - TERMS OF DELIVERY

Completion of an order is subject to the availability of stock and production schedules and, accordingly, there is no guarantee of fulfilment in one shipment.

FIAC S.p.A. therefore reserves the right to fulfil orders by making a number of shipments. Partial or total failure to fulfil an order does not give the customer of FIAC S.p.A. any right of redress or to claim damages, or to cancel or reduce the order, unless in the circumstances described earlier, or to delay payments. Any delivery times communicated are understood to be approximate. In addition, FIAC S.p.A. does not accept liability for delays caused by force majeure. FIAC S.p.A. may refuse cancellations of orders for models not carried in stock that have been ordered specifically by the customer.

### 4 - SHIPMENTS

Goods are delivered on an ex works basis and, accordingly, travel at the customer's own risk. In the case of delays, damage, theft, tampering or loss during transportation, the recipient must refer solely to the carriers since FIAC S.p.A. does not accept any responsibility for this towards the customer or the recipient. Before accepting a delivery of goods, we suggest that the weight, the number of packages and their condition be checked. In the case of dispute, the reservations should be noted on the shipping document and countersigned by the driver, adding the date and time.

### 5 - PACKING

FIAC S.p.A. delivers the goods with adequate packing or packaging that is supplied free of charge.

Any shortages in the number of items (including those in sealed boxes) must be reported by registered letter within 8 days of receipt. After this period of time, the goods are deemed to have been tacitly accepted.

Any expenses for packaging in crates or cages or similar, will be debited at cost.

La FIAC S.p.A. garantisce i prodotti da qualsiasi difetto di progettazione e fabbricazione per un periodo di 12 mesi dalla data di installazione, la quale deve essere comunicata a FIAC S.p.A. tramite debita compilazione della cartolina di garanzia o per mezzo del modulo presente sul sito [www.fiac.it](http://www.fiac.it). In assenza di comunicazioni, la garanzia sarà riconosciuta per 12 mesi a partire dalla data riportata sulla fattura FIAC di vendita.

- a) Sono escluse dalla garanzia le parti che per loro impiego specifico sono soggette ad usura.
- b) Qualsiasi intervento in garanzia può essere effettuato esclusivamente dalla FIAC S.p.A. o dai Centri di Assistenza Tecnica Autorizzati dalla FIAC S.p.A.
- c) La spedizione di qualsiasi prodotto alla FIAC S.p.A., per qualsiasi tipo d'intervento in garanzia, deve essere preventivamente autorizzata in forma scritta dalla FIAC S.p.A., la quale deciderà, a proprio insindacabile giudizio, se autorizzarla o avvalersi dell'intervento di un proprio Centro Assistenza Tecnica Autorizzato.
- In ogni caso, la spedizione alla FIAC S.p.A. dovrà avvenire in porto franco e la restituzione sarà effettuata con l'addebito delle spese di spedizione.
- d) La garanzia comprende la riparazione o la sostituzione gratuita dei componenti dell'apparecchio, riconosciuti difettosi dai nostri tecnici autorizzati.
- e) La garanzia decade per danni provocati accidentalmente, da incuria, uso ed installazione errati, impropri o non conformi alle avvertenze riportate nel "libretto di uso e manutenzione"; nonché nel caso di modifiche o riparazioni effettuate con ricambi non originali FIAC e/o da personale non autorizzato dalla FIAC S.p.A. Tutti gli elementi difettosi sostituiti in garanzia, vengono ritirati dal centro assistenza autorizzato.
- f) È escluso dalla garanzia qualsiasi riparazione o risarcimento per danni intervenuti durante il trasporto (in andata al o in ritorno dal Centro Assistenza Tecnica Autorizzato).
- g) È escluso qualsiasi tipo di risarcimento per danni causati a persone e/o cose, derivanti da un mancato/inadeguato uso del modello acquistato e/o dal fermo macchina (deve essere cura del cliente cautelarsi per questa evenienza).
- h) L'assistenza per gli apparati in garanzia è ottenibile solamente dall'acquirente in regola con le norme contrattuali e amministrative che presenti specifica documentazione attestante il periodo di acquisto.
- i) Questa è l'unica garanzia validamente riconosciuta dalla FIAC S.p.A.. Nessuno è autorizzato a rilasciarne altre verbali o scritte, o a modificarne i termini.

### FORO COMPETENTE

Per qualsiasi controversia sarà esclusivamente competente il Foro di Bologna.

### 1 - CONDIZIONI DI VENDITA

Gli ordini inviati per l'acquisto di prodotti della FIAC S.p.A. comportano l'accettazione, senza riserve, delle condizioni di fornitura sotto indicate, parte integrante del contratto di vendita. Eventuali variazioni dovranno essere approvate dalla FIAC S.p.A. attraverso l'invio della conferma di vendita, inviata solo su esplicita richiesta del committente, ed avranno valore solo per le vendite a cui si riferiscono.

### 2 - ORDINI

Saranno ricevuti dalla FIAC S.p.A. sempre con la clausola "salvo accettazione della casa". Le condizioni di fornitura descritte si intendono approvate dal cliente con la trasmissione dell'ordine stesso. L'ordine del cliente si ritiene impegnativo e non può essere ridotto o annullato, salvo il caso in cui il termine di consegna superasse di tre (3) mesi quello indicato per iscritto dalla FIAC S.p.A. Durante la trasmissione dell'ordine in caso di discordanza tra codice e descrizione dell'articolo, verrà data precedenza al codice. Le ordinazioni effettuate tramite ns. agenti, rappresentanti od incaricati sono sempre subordinate all'approvazione da parte della FIAC S.p.A.. Esse debbono quindi ritenersi impegnative solamente se confermate con l'invio della Conferma di Vendita (su esplicita richiesta del committente). Per ordini inferiori a Euro 150,00 netti (imponibile merce) il pagamento dovrà avvenire in contrassegno e sarà applicato in fattura un addebito extra di Euro 10,00 a titolo di spese fisse. La merce viene venduta franco nostro stabilimento.

### 3 - TERMINI DI CONSEGNA

L'evasione dell'ordine è subordinata alla disponibilità di magazzino ed alla possibilità di fabbricazione, non dando quindi garanzia di saldo. La FIAC S.p.A. pertanto si riserva la facoltà di evadere l'ordine in diverse riprese. La mancata consegna parziale o totale dell'ordine non può dare luogo ad alcun diritto di rivalsa o di richiesta di danni, né di annullamento o riduzione dell'ordine a meno di quanto descritto in precedenza, né ritardo dei pagamenti, da parte del cliente alla FIAC S.p.A. I termini di consegna, eventualmente comunicati, sono da intendersi approssimativi. La FIAC S.p.A. non risponde inoltre per ritardi provocati da forza maggiore.

La FIAC S.p.A. potrà rifiutare annullamenti di ordini per modelli non a stock ordinati esplicitamente su richiesta del cliente.

### 4 - SPEDIZIONI

La merce viene consegnata franco fabbrica e pertanto viaggia a rischio e pericolo del committente. In caso di ritardo, avarie, furti, manomissioni o perdita durante il trasporto, il destinatario dovrà rivolgersi esclusivamente ai vettori. La FIAC S.p.A. declina ogni responsabilità verso il committente e verso il destinatario. Prima di prendere in consegna le merci si raccomanda di controllare il peso e l'integrità del contenuto ed il numero di colli. In caso di contestazione si ricorda di elevare riserva sul documento di trasporto facendola controfirmare con data ed ora dall'autista.

### 5 - IMBALLI

La FIAC S.p.A. consegna il materiale in adeguati imballi o pacchi i quali vengono forniti a titolo gratuito. Eventuali ammanchi nel numero dei pezzi (anche confezioni sigillate) dovranno essere segnalati entro 8 giorni dal ricevimento della merce tramite lettera raccomandata.

Trascorso detto limite la merce si riterrà tacitamente accettata. Eventuali imballi in casse, gabbia o simili saranno addebitati al costo.



# Sales and warranty general conditions

## Condizioni generali di vendita e garanzia

### 6 - PRICES

The price list in force (excluding VAT at 20%) at the time of the order, which cancels and replaces all previous price lists, applies to the order together with any discount terms specified in a separate letter.

FIAC S.p.A. reserves the right to amend the Price List at any time and without prior notice. Payments must be addressed to FIAC S.p.A., on the basis indicated on the invoice. Payments must be made punctually on the due dates established, even with regard to products that are found to be defective, claims for which are governed by point 8.

### 7 - PAYMENTS

If a customer fails to make a payment at the expiry date then FIAC S.p.A. reserves the automatic right to change the payment terms to in advance. If a customer fails to make a payment, then FIAC S.p.A. will suspend supplies until payment has been received. Delays in the settlement, or partial settlement, of an invoice give FIAC S.p.A. the right, with immediate effect, to demand default interest pursuant to Decree 231/2002.

FIAC S.p.A. reserves the right to amend the terms of payment at any time.

### 8 - RETURN OF GOODS

FIAC S.p.A. accepts returns of machines, accessories and spares, recognising 100% of the amount and the transport costs, in the case of an error made by the Company. In any case, no returns of goods will be accepted unless these have been specifically authorised by FIAC S.p.A. in writing, and no returns of goods that have been invoiced for more than 6 months from the request for return will be authorised.

### 9 - CHARACTERISTICS OF PRODUCTS

The technical information, sizes and characteristics included in the catalogues may be amended without prior notice. Any changes do not release the customer from the order commitment and does not give the latter any right of redress.

### 10 - INFORMATION ACCORDING WITH ART. 13 D. LGS. 30 JUNE 2003, N. 196 - CODE FOR THE PROTECTION OF PERSONAL DATA

Personal data provided by the customer will be treated by the holder FIAC SpA, located in Via Vizzano No 23, 40037 Pontecchio Marconi (Bologna), Italy, (hereinafter "FIAC"), with IT system and not in compliance with the provisions of D. Lgs. 30 June 2003, n. 196 - Code for the protection of personal data, exclusively for the following purposes: to give effect to this contract and to fulfill all of its services and obligations, including the after sale/warranty service and to perform statistical analysis and research in an anonymous form. Under this exclusive purpose your data may be communicated to operators contractually linked to FIAC (such as freight forwarders, couriers, banks) and to companies and workers belonging to the FIAC distribution and servicing network (such as subsidiaries, importers, distributors, dealers, installers, after sales centres), even if located in countries outside the European Union, and will be brought to the attention of Managers (if designated) and people in charge of the processing designated by the Owner and FIAC by those entities. Personal data will not be disclosed.

The provision of data for such purposes is optional, it's not a regulatory requirement, but it is strictly necessary to conclude and give effect to this contract. The failure to provide data for such purposes will not consent, therefore, to conclude this contract and to carry it out.

The customer can exercise his rights under Art. 7 of the Privacy Code, that states: "1. A data subject shall have the right to obtain confirmation as to whether or not personal data concerning him exist, regardless of their being already recorded, and communication of such data in intelligible form. 2. A data subject shall have the right to be informed: a) of the source of the personal data; b) of the purposes and methods of the processing; c) of the logic applied to the processing, if the latter is carried out with the help of electronic means; d) of the identification data concerning data controller, data processors and the representative designated as per Section 5(2); e) of the entities or categories of entity to whom or which the personal data may be communicated and who or which may get to know said data in their capacity as designated representative(s) in the State's territory, data processor(s) or person(s) in charge of the processing. 3. A data subject shall have the right to obtain: a) updating, rectification or, where interested therein, integration of the data; b) erasure, anonymization or blocking of data that have been processed unlawfully, including data whose retention is unnecessary for the purposes for which they have been collected or subsequently processed; c) certification to the effect that the operations as per letters a) and b) have been notified, as also related to their contents, to the entities to whom or which the data were communicated or disseminated, unless this requirement proves impossible or involves a manifestly disproportionate effort compared with the right that is to be protected. 4. A data subject shall have the right to object, in whole or in part, a) on legitimate grounds, to the processing of personal data concerning him/her, even though they are relevant to the purpose of the collection; b) to the processing of personal data concerning him/her, where it is carried out for the purpose of sending advertising materials or direct selling or else for the performance of market or commercial communication surveys."

With regard to the use of these rights, as well as a list of those responsible for the processing designated by FIAC, you can call +39-051-67.86.811 or send a communication to [fiac@fiac.it](mailto:fiac@fiac.it), or via fax +39-051-84.52.61.

### 6 - PREZZI

Valgono i prezzi di listino (I.V.A. esclusa pari al 20%) in vigore al momento dell'ordine, che annulla e sostituisce tutti i precedenti e le eventuali relative condizioni di sconto indicate con lettera separata.

La FIAC S.p.A. si riserva la facoltà di variare il Listino in ogni momento e senza preavviso. I pagamenti devono essere eseguiti al domicilio della FIAC S.p.A., nel modo indicato sulla fattura. I pagamenti devono essere eseguiti puntualmente alle scadenze stabilite anche nel caso di prodotti riscontrati difettosi il cui reclamo è regolato dal punto 8.

### 7 - PAGAMENTI

In caso di mancato pagamento da parte della clientela alle scadenze pattuite, la FIAC S.p.A. si riserva il diritto di variare le condizioni d'ufficio a pagamento anticipato. La FIAC S.p.A., in caso di mancato pagamento da parte della clientela, provvederà a sospendere le forniture, riattivandole a pagamento avvenuto.

Il ritardo nel pagamento della fattura, anche se parziale, fa sorgere il diritto della FIAC S.p.A. ad esigere, con decorrenza immediata, l'interesse secondo il disposto D.L. 231/2002. La FIAC S.p.A. si riserva la facoltà di variare in ogni momento le condizioni di pagamento.

### 8 - RESTITUZIONI DI MERCE

La FIAC S.p.A. accetta resi di macchine, accessori, ricambi riconoscendo il 100% dell'importo e gli oneri di trasporto qualora l'errore sia generato dalla stessa. In ogni caso non saranno accettati resi non preventivamente autorizzati in forma scritta. Inoltre non saranno autorizzati resi di merce fatturata da oltre 6 mesi dalla richiesta di reso.

### 9 - CARATTERISTICHE DEI PRODOTTI

I dati tecnici, le dimensioni e le caratteristiche riportate sui cataloghi potrebbero subire variazioni senza preavviso. Le eventuali modifiche apportate non disimpegnano il cliente dalla fornitura, né possono dar luogo a rivede da parte di quest'ultimo.

### 10 - INFORMATIVA AI SENSI DELL'ART. 13 DEL D.LGS. 30 GIUGNO 2003, N. 196 - CODICE IN MATERIA DI PROTEZIONE DEI DATI PERSONALI

I dati personali forniti dal cliente saranno trattati dal titolare FIAC S.p.A., con sede in Via Vizzano n. 23, 40037 Pontecchio Marconi (Bologna), Italia, (di seguito "FIAC"), con strumenti automatizzati e non, nel rispetto di quanto previsto dal D.Lgs. 30 giugno 2003, n. 196 - Codice in materia di protezione dei dati personali, esclusivamente ai seguenti fini: per dare esecuzione al presente contratto ed adempiere a tutte le relative prestazioni ed obbligazioni, ivi comprese le prestazioni di garanzia, e per svolgere analisi e ricerche statistiche in forma anonima. A tali esclusivi fini i suoi dati potranno essere comunicati ad operatori contrattualmente legati a FIAC (quali spedizionieri, corrieri, istituti bancari e creditizi) e alle società ed operatori appartenenti alla rete distributiva e di assistenza di FIAC (quali filiali, importatori, distributori, concessionari, rivenditori, installatori, riparatori), eventualmente anche aventi sede in paesi non appartenenti all'Unione Europea, e saranno portati a conoscenza dei Responsabili (se designati) e degli Incaricati del trattamento nominati dal Titolare FIAC e dai suddetti soggetti. I dati personali non saranno diffusi.

Il conferimento dei dati a tali fini è facoltativo, cioè non discende da un obbligo normativo, ma è strettamente necessario per poter concludere e dare esecuzione al presente contratto. Il mancato conferimento dei dati a tali fini non consentirà pertanto di concludere il presente contratto e di darvi esecuzione.

Nella sua qualità di interessato il cliente gode dei diritti di cui all'art. 7 del Codice privacy, di cui si riporta di seguito il testo: "1. L'interessato ha diritto di ottenere la conferma dell'esistenza o meno di dati personali che lo riguardano, anche se non ancora registrati, e la loro comunicazione in forma intelligibile. 2. L'interessato ha diritto di ottenere l'indicazione: a) dell'origine dei dati personali; b) delle finalità e modalità del trattamento; c) della logica applicata in caso di trattamento effettuato con l'ausilio di strumenti elettronici; d) degli estremi identificativi del titolare, dei responsabili e del rappresentante designato ai sensi dell'articolo 5, comma 2; e) dei soggetti o delle categorie di soggetti ai quali i dati personali possono essere comunicati o che possono venirne a conoscenza in qualità di rappresentante designato nel territorio dello Stato, di responsabili o incaricati. 3. L'interessato ha diritto di ottenere: a) l'aggiornamento, la rettificazione ovvero, quando vi ha interesse, l'integrazione dei dati; b) la cancellazione, la trasformazione in forma anonima o il blocco dei dati trattati in violazione di legge, compresi quelli di cui non è necessaria la conservazione in relazione agli scopi per i quali i dati sono stati raccolti o successivamente trattati; c) l'attestazione che le operazioni di cui alle lettere a) e b) sono state portate a conoscenza, anche per quanto riguarda il loro contenuto, di coloro ai quali i dati sono stati comunicati o diffusi, eccettuato il caso in cui tale adempimento si rivela impossibile o comporta un impiego di mezzi manifestamente sproporzionato rispetto al diritto tutelato. 4. L'interessato ha diritto di opporsi, in tutto o in parte: a) per motivi legittimi al trattamento dei dati personali che lo riguardano, ancorché pertinenti allo scopo della raccolta; b) al trattamento di dati personali che lo riguardano a fini di invio di materiale pubblicitario o di vendita diretta o per il compimento di ricerche di mercato o di comunicazione commerciale".

In merito all'esercizio dei suddetti diritti, così come per conoscere l'elenco aggiornato dei Responsabili del trattamento designati da FIAC, è possibile telefonare al +39-051-67.86.811 o inviare una comunicazione a [fiac@fiac.it](mailto:fiac@fiac.it), o via fax al +39-051-84.52.61.



MICHELIN and/or the Michelin Man Device and/or BIBENDUM are trademark(s) owned by, and used with the permission of, the Michelin Group.

© 2013 Michelin  
[www.michelin.com](http://www.michelin.com)



Distributed under licence by FIAC SpA  
40037 Bologna - Italy  
Consumer enquiries:  
Tel.: 0080021072004  
(from Italy) Tel.: 800096667  
e mail: [michelin@fiac.it](mailto:michelin@fiac.it)  
[www.fiac.it](http://www.fiac.it)

