COLONOSCOPY PREPARATION INSTRUCTIONS

You have been scheduled for a colonoscopy	y on at
with Dr	
Please read all instructions at le	east 5 days prior to examination.
	• •
order for your doctor to make the best evaluation of your addition to the liquid included in the prep instructions to clear liquids within a 24-hour period.	
he day before your procedure drink only clear liquids fo	or breakfast, lunch, dinner and throughout the day.
Allowed Clear	<u>Liquids</u>
Water	Gatorade
Apple Juice	Soft Drinks
White Grape Juice	Tea
Chicken or Beef Bouillon	Coffee (no milk, may use sweeteners)
Jell-0	Popsicles
Note: No Milk or Milk Product	ts, No Red or Purple Colored Liquids
☐ PREP A: Gatorlax	
Purchase an 8 oz bottle of MiraLAX powder and 10 c	oz magnesium citrate over the counter from a pharmacy.
The day before your procedure:	-1-a
At 4:00 pm, drink the 10 oz bottle of magnesium citra	
At 6:00 pm. Mix half of MiraLAX (4 oz) in 32 oz of Ga	atorade and drink.
The morning of your procedure:	Miral AV in 22 az of Catarada Drink within 1 hour
4 hours prior to your procedure, mix remaining 4 oz I	Willalax iii 32 02 01 Gatorade. Drilik Withiii 1 Hour.
PREP B: NuLYTELY or GoLYTELY	
Take your prescriptions to the pharmacy and purchas	se NuLYTELY/GoLYTELY and Reglan 10 mg tablet.
The day before your procedure:	
At 2:30 pm, take the Reglan 10 mg tablet.	
Mix the NuLYTELY/GoLYTELY as directed and refrig	gerate.
At 3:00 pm, begin drinking the NuLYTELY/GoLYTEL	Y solution and drink approximately 6 oz every 15-30
minutes until the entire solution is gone, within 4 hou	irs. You may drink other clear liquids during this process.
DDED C. Mari Dava	
PREP C: Movi Prep	a the Mayi Dran. Follow the england instructions
Take your prescription to the pharmacy and purchas	e the Movi Prep. Follow the enclosed instructions.
If you begin to feel nauseated or full during the	preparation, you may stop drinking for a short time, then
resume drinking in smaller quantiti	es and wait 15-20 minutes between glasses.
It is essential to o	complete your entire prep.
The morning of your colonoscopy you may continu	ue to have clear liquids until 3 hours before your procedure.
	call us at 481-4817, option 4. After hours, call 481-4817
and ask to spea	ak with the on-call doctor.

GASTROENTEROLOGY, LTD.

Location of Procedure:
Location A: Colon Cancer Prevention and Endoscopy Center of Virginia Beach, 1101 First Colonial Road, Please go to Suite 400, 4 th floor.
Location B: Sentara Virginia Beach General Hospital, 1060 First Colonial Road, Please enter through the door under the green awning on Facilities Lane, behind the hospital.
Patient Name:
Date of Procedure:
Check-in time:
Procedure time:
Please arrange for transportation home. Our policy requires a responsible adult escort you from the Endoscopy suited drive you home, and stay with you for the remainder of the procedure day. You may not meet your ride in the parking lot. Public transportation or taxicabs are NOT ALLOWED unless you are accompanied by a responsible adult.
Our office will obtain a pre-authorization from your insurance company for your procedure; however, you are responsible to verify your insurance benefits. Please bring your insurance information and co pay on the day of your procedure. Please do not bring any other valuables.
Regular medications should be taken as usual until the morning of your procedure. Only blood pressure and heart medications should be taken on the day of your exam. You may also take Tylenol.
Stop taking Coumadin, Plavix or any blood thinners 5 days prior to your procedure. Your last dose will be on If you take aspirin, do not stop it. Regular medications should be taken as usual until
the morning of your procedure. Only blood pressure and heart medications should be taken on the day of your exam You may also take Tylenol.

We ask that your driver stay in our waiting room during your procedure.

If cancellation is necessary, please notify our office at least seventy-two (72) hours before by calling 481-4817 Ext 3512. Please be aware that we have reserved a physician, three nurses and equipment for your procedure. Without adequate notice, there will be a \$75 cancellation fee. Thank you for your cooperation.

If you have any questions concerning your procedure or your instructions please call us at 481-4817, option 4.

Colon Cancer Prevention and Endoscopy Center of Va. Beach PRE-ENDOSCOPY ASSESSMENT

PRE-ENDOSCOPY ASSESSMENT				
Date:				
Arrival Time:				
Chart Drop Time:				
YOU WILL BE HERE TODAY FOR APPROXIMATELY	90 MINUTE	S, SO YOUR	DRIVER SHOULD STAY WITH Y	<u>YOU</u> .
Who will be driving you home today?			_ Is he/she here now? ☐ Yes	
Phone number in case we need to reach your driver: _				
Why are you having this procedure? Describe your sym	nptoms			
If there are any biopsies or laboratory tests, who do you	authorize re	sults be giver	n to?	
Name:	Relatio	onship:		
Do you have any valuables with you? Are you wearing dentures/partials? Are you wearing a hearing aid? Do you have artificial joints or implants? Are you wearing glasses/contact lenses? Any previous problems with sedation? Do you require antibiotics before you go to the dentist? Do you take blood thinners? (Heparin, Coumadin, aspirin, Ticlid, Persantine) Date stopped: Did you complete your bowel prep? Last time you had solid food: Liquids: Are you pregnant? Last menstrual period:	Yes Yes Yes Yes Yes Yes Yes Yes Yes Yes	No	□ NA	
All patients should rest today and resume normal dalf you received sedation for your procedure: 1. Do not drive, operate machinery or perform 2. Avoid making critical decisions or signing le 3. Do not drink any alcoholic beverages until to 4. You may feel dizzy, lightheaded or sleepy or alone. Completed by (Patient's signature)	heavy lifting egal docume omorrow.	g until tomor ents until ton	norrow.	hom
Reviewed by (Clinical staff signature)		Date	Time	

Date

Time

Reviewed by (Procedure nurse)

GASTROENTEROLOGY, LTD.

COLON CANCER PREVENTION AND ENDOSCOPY CENTER OF VIRGINIA BEACH

Consent for Colonoscopy

PATIENT:	PROCEDURE DATE:
and his designated associates/assistant biopsy. It has been explained to me to intestine (colon) by use of a flexible statistic procedure, biopsies (tissue samplit will be removed with or without the techniques to remove polyps/lesions is best suited during this procedure. Occasionally when bleeding occurs, or	Procedure: I hereby request and authorize Dr
complications. My physician has exprocedure include but are not limited rupture of the spleen or irregular hear I understand that unusual complication before this test, occasionally do occu although I have been advised that I are	medical procedure has some degree of risk and the possibility of plained to me and I understand that complications from this I to: a perforation or hole in the colon, bleeding, infection, rarely rt beat. Very rarely, death has been reported with this procedure. ons, those that are so rare that they are not routinely discussed in. I do not wish to have any further explanation given to me, am entitled to do so if I desire. I understand that I may be event that a complication occurs. This decision will be made by are provider.
_	include risks and complications. I am satisfied with my ons and wish to proceed with colonoscopy. Such options may
of these health care professionals and	and assist with my colonoscopy. I consent to the presence
procedure for documentation of findi photographs to be used for teaching p	hat photographs and/or videotaping may be taken during my ings. I do/I do not consent to the use of these purposes. This may include the reproduction of the used in part of a medical education program.

Tissue Disposal: I consent to the appropriate disposal of any body tissues removed during this procedure after the same tissue has been examined by a pathologist. **Anesthesia/Sedation:** I consent to the administration of intravenous (IV) medications that will have a sedative effect on me. Possible complications from this may include but are not limited to pain during the administration of medications, soreness/swelling in the arm, cardiac or respiratory arrest, rarely an allergic reaction, which could cause death. I understand that I cannot drive after the procedure (until the following morning), should not sign any legal or important papers or perform tasks that require coordination. I should have a responsible adult with me for the remainder of the procedure day. **No Guarantee or Assurance:** I acknowledge that no guarantee or assurance to the outcome of this procedure has been given to me. I do recognize that this is the best test for finding lesions in the colon; however, I understand that there is a low percentage of missed lesions (about 2-5%) associated with this procedure. No ADVANCE DIRECTIVES: I acknowledge that this facility does NOT recognize advance directives. During my care at this facility, all practical measures will be utilized to prevent loss of life. (patient initial or signature) **Opportunity for Further Information:** I understand that I am free to seek advice from other physicians if I choose. I know that I am also encouraged to ask questions regarding any aspect of this procedure. I acknowledge by signing this consent that I have **Opportunity to Read this Document:** read this form in its entirety and fully understand it. I have had my questions answered to my satisfaction and agree and consent to this treatment. DO NOT SIGN IF YOU HAVE FURTHER QUESTIONS Signature of Patient or Authorized Person Date Authorized person's relationship to the patient: Signature of Witness Date The above procedure(s) have been explained to the patient or authorized person to give consent for the _____, M.D patient.

GASTROENTEROLOGY, LTD

Frequently Asked Questions

Before the Procedure Prep Related Questions:

Q. What time should I start my prep?

A. See instruction sheet

Q. Is there anyway I can make this taste better?

A. You can try sucking on hard candy, or you can rinse your mouth with water, mouthwash or any other beverage listed on the clear liquid diet.

Q. Why should I avoid red liquids?

A. The red color can stay in the colon and potentially look like blood.

Q. One of the medications I was instructed to take the morning of my procedure is red, is it OK to take it?

A. Yes. Medications for blood pressure, heart problems and seizures should be taken the morning of your procedure regardless of their color.

Q. I feel like vomiting and don't think I can drink any more. What should I do?

A. Without a clean bowel, the doctor will not be able to see the inside of your colon to complete the examination. Walking and other activities usually decrease nausea. Some patients prefer to remove the prep from the refrigerator a half-hour before they are scheduled to start drinking it. If you do vomit or feel nauseated, wait 45 minutes and begin drinking the solution again. If not improved, please call us.

Q. I drank most of the solution but have not gone to the bathroom yet. What should I do?

A. Most people have a bowel movement after an hour some patients take 2 hours or longer. If you feel bloated or nauseated, wait 30-45 minutes and resume drinking the solution. If you still have not had a bowel movement after drinking all of the solution, call us for further instructions.

Q. Is the prep the only liquid I need to drink prior to the procedure?

A. No, please drink an additional 4 to 8 glasses of liquids so you do not become dehydrated. The colon prep liquid is to clean out the colon, not to replace fluid loss.

Q. I am taking the prep and now have loose, watery stools. Do I still need to take the rest of the prep?

A. Yes, you may have solid stool higher in the colon that needs to be eliminated as well.

Q. I already have diarrhea before taking the prep, do I still have to take the laxative?

A. Yes, you must take the prep as directed by your doctor. Your colon is approximately 6 feet long, and your entire colon must be emptied for your physician to see it clearly.

Q. I see yellow color in the toilet bowl and a few flecks. What do I do?

A. If you drank the entire solution or if your last bowel movement was clear enough to see the bottom of the toilet, you should be fine. It is OK if you have some flecks of material. The yellow color is the result of bile that normally colors the feces. This shouldn't interfere with the examination.

Q. My bottom is very sore. What can I do?

A. To clean the area, avoid rubbing, but gently pat with a wet washcloth. Apply Vaseline [™], Preparation H [™], or Desitin liberally.

Q. Is it OK to drink alcoholic beverages?

A. We strongly suggest you do not drink any alcoholic beverages prior to your procedure since they can cause dehydration, and some wines may thin your blood.

Q. Can I chew gum or suck on candy?

A. Yes, but no hard candy with soft centers or anything with red colors

Q. Can I brush my teeth?

A. Yes

Q. Can I wear my dentures?

A. Yes, you may wear your dentures to the Endoscopy suite. However, you may be asked to remove them prior to the procedure.

Q. I have been instructed not to take anti-inflammatory or blood thinner medications several days before the procedure. What can I take for headaches and pain relief?

A. You may take Tylenol as directed.

Q. Can I have chicken soup?

A. You may have the broth, but no chicken, noodles or vegetables are allowed.

Q. Is it OK to have the colonoscopy during my menstrual cycle?

A. Yes, the procedure can still be performed. You may use a tampon during the procedure.

Q. How can I find out when I am due for a follow-up procedure?

A. You will receive a reminder notice from our office 1-2 months prior to the time you should have your screening procedure. The notice will ask you to call our office to schedule the needed procedure. If you do not receive a notice when you feel you should or have any questions, it is always best to call the office and ask to speak to a Procedure Scheduler.

If you have any questions or problems, please call us at 481-4817, option 4.

After hours, call 481-4817 and ask to speak with the on-call doctor.

colonpacket.doc Rev. 1/09