

DATA SHEET

FortiGate/FortiWiFi® 60E-DSL

FG-60E-DSL and FWF-60E-DSL

**Secure SD WAN
Next Generation Firewall**



The FortiGate/ FortiWiFi 60E-DSL series provides an application-centric, scalable, and secure SD-WAN solution in a compact fanless desktop form factor for enterprise branch offices and mid-sized businesses. Protects against cyber threats with system-on-a-chip acceleration and industry-leading secure SD-WAN in a simple, affordable, and easy to deploy solution. Fortinet’s Security-Driven Networking approach provides tight integration of the network to the new generation of security.

Security

- Identifies thousands of applications inside network traffic for deep inspection and granular policy enforcement
- Protects against malware, exploits, and malicious websites in both encrypted and non-encrypted traffic
- Prevent and detect against known and unknown attacks using continuous threat intelligence from AI-powered FortiGuard Labs security services

Performance

- Delivers industry’s best threat protection performance and ultra-low latency using purpose-built security processor (SPU) technology
- Provides industry-leading performance and protection for SSL encrypted traffic

Certification

- Independently tested and validated for best-in-class security effectiveness and performance
- Received unparalleled third-party certifications from NSS Labs

Networking

- Delivers advanced networking capabilities that seamlessly integrate with advanced layer 7 security and virtual domains (VDMs) to offer extensive deployment flexibility, multi-tenancy and effective utilization of resources
- Delivers high-density, flexible combination of various high-speed interfaces to enable best TCO for customers for data center and WAN deployments

Management

- Includes a management console that is effective, simple to use, and provides comprehensive network automation and visibility
- Provides Zero Touch Integration with Fortinet’s Security Fabric’s Single Pane of Glass Management
- Predefined compliance checklist analyzes the deployment and highlights best practices to improve overall security posture

Security Fabric

- Enables Fortinet and Fabric-ready partners’ products to provide broader visibility, integrated end-to-end detection, threat intelligence sharing, and automated remediation

Firewall	IPS	NGFW	Threat Protection	Interfaces
3 Gbps	400 Mbps	250 Mbps	200 Mbps	Multiple GE RJ45 Wi-Fi variants

DEPLOYMENT




Next Generation Firewall (NGFW)

- Reduce the complexity and maximize your ROI by integrating threat protection security capabilities into a single high-performance network security appliance, powered by Fortinet's Security Processing Unit (SPU)
- Full visibility into users, devices, and applications across the entire attack surface, and consistent security policy enforcement irrespective of asset location
- Protect against network exploitable vulnerabilities with industry-validated IPS that offers low latency and optimized network performance
- Automatically block threats on decrypted traffic using the industry's highest SSL inspection performance, including the latest TLS 1.3 standard with mandated ciphers
- Proactively block newly discovered sophisticated attacks in real-time with AI-powered FortiGuard Labs and advanced threat protection services included in the Fortinet Security Fabric




Secure SD-WAN

- Consistent business application performance with accurate detection and dynamic WAN path steering on any best-performing WAN transport
- Accelerated Multi-cloud access for faster SaaS adoption with cloud-on-ramp
- Self-healing networks with WAN edge high availability, sub-second traffic switchover-based and real-time bandwidth compute-based traffic steering
- Automated Overlay tunnels provides encryption and abstracts physical hybrid WAN making it simple to manage
- Simplified and intuitive workflow with FortiManger for management and zero touch deployment
- Enhanced analytics both real-time and historical provides visibility into network performance and identify anomalies
- Strong security posture with next generation firewall and real-time threat protection



Next Generation Firewall Small Office Deployment





Secure SD-WAN Enterprise Branch Deployment



HARDWARE

FortiGate 60E-DSL



- 1
- 2
- 3
- 4
- 5



Hardware Features



Interfaces

1. 1x USB Port
2. 1x Console Port
3. 1x GE RJ45 WAN Port
4. 1x GE RJ45 DMZ Port
5. 7x GE RJ45 Internal Ports

FortiWiFi 60E-DSL



- 1
- 2
- 3
- 4
- 5

Hardware Features



Interfaces

1. 1x USB Port
2. 1x Console Port
3. 1x GE RJ45 WAN Port
4. 1x GE RJ45 DMZ Port
5. 7x GE RJ45 Internal Ports

Powered by SPU SoC3



- Combines a RISC-based CPU with Fortinet's proprietary SPU content and network processors for unmatched performance
- Simplifies appliance design and enables breakthrough performance for smaller networks
- Supports firewall acceleration across all packet sizes for maximum throughput
- Delivers accelerated UTM content processing for superior performance and protection
- Accelerates VPN performance for high speed and secure remote access

Comprehensive WAN Connectivities

The FortiGate/ FortiWiFi 60E-DSL includes a built-in DSL modem along with support for 3G/4G connectivity via external third-party USB modems or FortiExtender. These capabilities provide redundant links for maximum reliability.

Compact and Reliable Form Factor

Designed for small environments, you can place it on a desktop or wall-mount it. It is small, lightweight, yet highly reliable with superior MTBF (Mean Time Between Failure), minimizing the chance of a network disruption.

Superior Wireless Coverage

A built-in dual-band, dual-stream access point with internal antennas is integrated on the FortiWiFi 60E-DSL and provides speedy 802.11ac wireless access. The dual-band chipset addresses the PCI-DSS compliance requirement for rogue AP wireless scanning, providing maximum protection for regulated environments.



FORTINET SECURITY FABRIC

Security Fabric

The industry's highest-performing cybersecurity platform, powered by FortiOS, with a rich ecosystem designed to span the extended digital attack surface, delivering fully automated, self-healing network security.

- **Broad:** Coordinated detection and enforcement across the entire digital attack surface and lifecycle with converged networking and security across edges, clouds, endpoints and users
- **Integrated:** Integrated and unified security, operation, and performance across different technologies, location, deployment options, and the richest Ecosystem
- **Automated:** Context aware, self-healing network & security posture leveraging cloud-scale and advanced AI to automatically deliver near-real-time, user-to-application coordinated protection across the Fabric

The Fabric empowers organizations of any size to secure and simplify their hybrid infrastructure on the journey to digital innovation.



FortiOS™ Operating System

FortiOS, Fortinet's leading operating system enable the convergence of high performing networking and security across the Fortinet Security Fabric delivering consistent and context-aware security posture across network endpoint, and clouds. The organically built best of breed capabilities and unified approach allows organizations to run their businesses without compromising performance or protection, supports seamless scalability, and simplifies innovation consumption.

The release of FortiOS 7 dramatically expands the Fortinet Security Fabric's ability to deliver consistent security across hybrid deployment models consisting on appliances, software and As-a-Service with SASE, ZTNA and other emerging cybersecurity solutions.

SERVICES

FortiGuard™ Security Services

FortiGuard Labs offers real-time intelligence on the threat landscape, delivering comprehensive security updates across the full range of Fortinet's solutions. Comprised of security threat researchers, engineers, and forensic specialists, the team collaborates with the world's leading threat monitoring organizations and other network and security vendors, as well as law enforcement agencies.

FortiCare™ Services

Fortinet is dedicated to helping our customers succeed, and every year FortiCare services help thousands of organizations get the most from their Fortinet Security Fabric solution. We have more than 1000 experts to help accelerate technology implementation, provide reliable assistance through advanced support, and offer proactive care to maximize security and performance of Fortinet deployments.



SPECIFICATIONS

	FORTIGATE 60E-DSL	FORTIWIFI 60E-DSL
Hardware Specifications		
GE RJ45 WAN / DMZ Ports	1 / 1	1 / 1
GE RJ45 Internal Ports	7	7
Wireless Interface	–	Single Radio (2.4GHz/5GHz), 802.11 a/b/g/n/ac
USB Ports	1	1
Console (RJ45)	1	1
Internal Storage	–	–
System Performance — Enterprise Traffic Mix		
IPS Throughput ²		400 Mbps
NGFW Throughput ^{2,4}		250 Mbps
Threat Protection Throughput ^{2,5}		200 Mbps
System Performance		
Firewall Throughput (1518 / 512 / 64 byte UDP packets)	3 / 3 / 3 Gbps	
Firewall Latency (64 byte UDP packets)	3 µs	
Firewall Throughput (Packets Per Second)	4.5 Mpps	
Concurrent Sessions (TCP)	1.3 Million	
New Sessions/Second (TCP)	30 000	
Firewall Policies	5000	
IPsec VPN Throughput (512 byte) ¹	2 Gbps	
Gateway-to-Gateway IPsec VPN Tunnels	200	
Client-to-Gateway IPsec VPN Tunnels	500	
SSL-VPN Throughput	150 Mbps	
Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)	200	
SSL Inspection Throughput (IPS, avg. HTTPS) ³	135 Mbps	
SSL Inspection CPS (IPS, avg. HTTPS) ³	135	
SSL Inspection Concurrent Session (IPS, avg. HTTPS) ³	75 000	
Application Control Throughput (HTTP 64K) ²	650 Mbps	
CAPWAP Throughput (HTTP 64K)	890 Mbps	
Virtual Domains (Default / Maximum)	10 / 10	
Maximum Number of FortiSwitches Supported	16	
Maximum Number of FortiAPs (Total / Tunnel Mode)	30 / 10	
Maximum Number of FortiTokens	500	
High Availability Configurations	Active-Active, Active-Passive, Clustering	

	FORTIGATE 60E-DSL	FORTIWIFI 60E-DSL
Dimensions		
Height x Width x Length (inches)	1.7 × 8.5 × 7.1	
Height x Width x Length (mm)	42.5 × 215 × 180	
Weight	2.4 lbs (1.1 kg)	2.8 lbs (1.3 kg)
Form Factor	Desktop	
Operating Environment and Certifications		
Input Rating	12Vdc, 5A	
Power Required	Powered by External DC Power Adapter, 100–240V AC, 50/60 Hz	
Maximum Current	1.5A	1.6A
Power Consumption (Average / Maximum)	16 W / 18 W	16 W / 19.2 W
Heat Dissipation	61.4 BTU/h	65.5 BTU/h
Operating Temperature	32–104°F (0–40°C)	
Storage Temperature	–31–158°F (–35–70°C)	
Humidity	10–90% non-condensing	
Noise Level	–40 dBA	
Operating Altitude	Up to 7400 ft (2250 m)	
Compliance	FCC, ICES, CE, RCM, VCCI, BSMI, UL/cUL, CB	
Certifications	ICSA Labs: Firewall, IPsec, IPS, Antivirus, SSL-VPN	

SUPPORTED MODEL STANDARDS

FG-60E-DSL AND FWF-60E-DSL

ANSI T1.413 Issue 2, ETSI ADSL over ISDN (TS 101 388)

ITU-T G.dmt (G.992.1) (ADSL) – Annex A

ITU-T G.dmt.bis (G.992.3) (ADSL2) – Annex A, Annex L, Annex M

ITU-T G.dmt.plus (G.992.5) (ADSL2+) – Annex A, Annex M

ITU-T VDSL2 (G.993.2) – All profiles 8a, 8b, 8c, 8d, 12a, 12b, 17a_EU32 – Annex A, C (all regions)

ITU-T VDSL1 (G.993.1), ITU-T G.993.5, ITU-T G.998.4

Note: All performance values are “up to” and vary depending on system configuration.

1. IPsec VPN performance test uses AES256-SHA256.
2. IPS (Enterprise Mix), Application Control, NGFW and Threat Protection are measured with Logging enabled.
3. SSL Inspection performance values use an average of HTTPS sessions of different cipher suites.

4. NGFW performance is measured with Firewall, IPS and Application Control enabled.
5. Threat Protection performance is measured with Firewall, IPS, Application Control and Malware Protection enabled.



ORDERING INFORMATION

Product	SKU	Description
FortiGate 60E-DSL	FG-60E-DSL	9x GE RJ45 ports (including 7x internal ports, 1x WAN port, 1x DMZ port), internal ADSL2/2+ and VDSL2 modem.
FortiWiFi 60E-DSL	FWF-60E-DSL-[RC]	9x GE RJ45 ports (including 7x internal ports, 1x WAN port, 1x DMZ port), internal ADSL2/2+ and VDSL2 modem, Wireless (802.11ac).

[RC] = regional code: A, B, D, E, F, I, J, N, P, S, V, and Y

BUNDLES



FortiGuard Bundle

FortiGuard Labs delivers a number of security intelligence services to augment the FortiGate firewall platform. You can easily optimize the protection capabilities of your FortiGate with one of these FortiGuard Bundles.

Bundles	Enterprise Protection	SMB Protection	Unified Threat Protection	Advanced Threat Protection
FortiCare	24x7	24x7	24x7	24x7
FortiGuard App Control Service	•	•	•	•
FortiGuard IPS Service	•	•	•	•
FortiGuard Advanced Malware Protection (AMP) — Antivirus, Mobile Malware, Botnet, CDR, Virus Outbreak Protection and FortiSandbox Cloud Service	•	•	•	•
FortiGuard Web and Video ¹ Filtering Service	•	•	•	
FortiGuard Antispam Service	•	•	•	
FortiGuard Security Rating Service	•			
FortiGuard IoT Detection Service	•			
FortiGuard Industrial Service	•			
FortiConverter Service	•			
FortiGate Cloud Subscription		•		

1. Available when running FortiOS 7.0



www.fortinet.com

Copyright © 2022 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, FortiCare® and FortiGuard®, and certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinet's General Counsel, with a purchaser that expressly warrants that the identified product will perform according to certain expressly-identified performance metrics and, in such event, only the specific performance metrics expressly identified in such binding written contract shall be binding on Fortinet. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests. Fortinet disclaims in full all covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.

Fortinet is committed to driving progress and sustainability for all through cybersecurity, with respect for human rights and ethical business practices, making possible a digital world you can always trust. You represent and warrant to Fortinet that you will not use Fortinet's products and services to engage in, or support in any way, violations or abuses of human rights, including those involving censorship, surveillance, detention, or excessive use of force. Users of Fortinet products are required to comply with the Fortinet EULA (<https://www.fortinet.com/content/dam/fortinet/assets/legal/EULA.pdf>) and report any suspected violations of the EULA via the procedures outlined in the Fortinet Whistleblower Policy (https://secure.ethicspoint.com/domain/media/en/gui/19775/Whistleblower_Policy.pdf).