SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II - United Kingdom (UK)

Sikadur 31 DW Comp. A



2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
Product name	: Sikadur 31 DW Comp. A
Product type	: Liquid.

1.2 Relevant identified uses of the substance or mixture and uses advised against Not available.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Distributor	:	Sika Limited Watchmead Welwyn Garden City Hertfordshire. AL7 1BQ United Kingdom
Telephone no.	:	01707 394444
Fax no.	:	01707 329129
e-mail address of person responsible for this SDS	:	EHS@uk.sika.com
Emergency telephone number	:	+44 (0)1707 363899 (available during office hours).
1.4 Emergency telephone number		
<u>Supplier</u>		

Telephone number : +44 (0)1707 363899 (available during office hours).

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture		
Product definition	Mixture	
Classification according to	<u>ctive 1999/45/EC [DPD]</u>	
The product is classified as	erous according to Directive 1999/45/EC and its amendments.	
Classification	Xi; R36/38 R43 R52/53	
Human health hazards	Irritating to eyes and skin. May cause sensitisation by skin contact.	
Environmental hazards	Harmful to aquatic organisms, may cause long-term adverse effects in the aquati environment.	ic
See Section 16 for the full tex	he R phrases or H statements declared above.	
See Section 11 for more deta	nformation on health effects and symptoms.	

2.2 Label elements Hazard symbol or symbo				
Indication of danger	: Irritant			
Risk phrases	 R36/38- Irritating to eyes and skin. R43- May cause sensitisation by skin contact. R52/53- Harmful to aquatic organisms, may cause long-term a aquatic environment. 		verse effects in the	
Date of issue	: 17.05.2011.	MSDS no. : 210204	1/12	

Sikadur 31 DW Comp. A	17.05.2011 2/12

SECTION 2: Hazards identification

Safety phrases	: S24- Avoid contact with skin. S37- Wear suitable gloves.
Hazardous ingredients	 reaction product: bisphenol A-(epichlorhydrin) epoxy resin (number average molecular weight <= 700) 1,4-bis(2,3-epoxypropoxy)butane
Supplemental label elements	: Contains epoxy constituents. See information supplied by the manufacturer.

2.3 Other hazards

Other hazards which do not : Not available. **result in classification**

SECTION 3: Composition/information on ingredients

Substance/mixture

: Mixture

Chemical family/ Characteristics : Filled and modified epoxy resin

		Clas	sification	Туре
Product/ingredient name Identifiers	%	67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	
reaction product: bisphenol A-(epichlorhydrin) epoxy resin (number average molecular weight <= 700)	>= 5 - < 25	Xi; R36/38	Skin Irrit. 2, H315	[1]
RRN: 01-2119456619-26 EC: 500-033-5 CAS: 25068-38-6 Index: 603-074-00-8		R43 N; R51/53	Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411	
1,4-bis(2,3-epoxypropoxy)butane EC: 219-371-7 CAS: 2425-79-8 Index: 603-072-00-7	>= 1 - < 20	Xn; R20/21 Xi; R36/38 R43 R52/53	Acute Tox. 4, H312 Acute Tox. 4, H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317	[1]
Calcium carbonate EC: 207-439-9 CAS: 471-34-1	>= 1 - < 5	Xi; R36/38	Skin Irrit. 2, H315 Eye Irrit. 2, H319	[1]
		See section 16 for the full text of the R-phrases declared above	See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

<u>Туре</u>

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

Sikadur 31 DW Comp. A

4.1 Description of first aid measures		
Eye contact	 Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention. 	
Inhalation	: Get medical attention if adverse health effects persist or are severe.	
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention if symptoms occur.	
Ingestion	: Do not induce vomiting unless directed to do so by medical personnel. Maintain an open airway. Seek immediate medical attention.	
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.	

4.2 Most important symptoms and effects, both acute and delayed

	······································
Potential acute health	effects
Eye contact	: Irritating to eyes.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: Irritating to skin. May cause sensitisation by skin contact.
Ingestion	: Irritating to mouth, throat and stomach.
<u>Over-exposure signs/s</u>	<u>ymptoms</u>
Eye contact	: Adverse symptoms may include the following: irritation watering redness
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: irritation redness
Ingestion	: No specific data.
4.3 Indication of any imr	nediate medical attention and special treatment needed
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.

SECTION 5: Firefighting measures

	_
5.1 Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
5.2 Special hazards arising	from the substance or mixture
Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds metal oxide/oxides

5.3 Advice for firefighters

Date of issue	: 17.05.2011.	MSDS no. : 210204	3/12
---------------	---------------	--------------------------	------

SECTION 5: Firefighting measures

Sikadur 31 DW Comp. A

•	•
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. This material is harmful to aquatic organisms. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, pro	otec	tive equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also Section 8 for additional information on hygiene measures.
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material.
6.3 Methods and materials fo	r co	ontainment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container.
Large spill	:	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13).
6.4 Reference to other sections	:	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Do not get in eyes or on skin or clothing. Do not breathe vapour or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

SECTION 7: Handling and storage

7.2 Conditions for safe	. Store in apportance with local regulations. Store in original container protocted from
storage, including any incompatibilities	: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
7.3 Specific end use(s)	
Recommendations	: Not available.
Industrial sector specific solutions	: Not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Sikadur 31 DW Comp. A

Occupational exposure limits

Product/ingredier	nt name	Exposure limit values	
Calcium carbonate		EH40/2005 WELs (United Kingdom (UK), 8/2007). TWA: 10 mg/m ³ 8 hour(s). Form: inhalable dust TWA: 4 mg/m ³ 8 hour(s). Form: respirable dust	
Recommended monitoring procedures	: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to European Standard EN 689 for methods for the assessment of exposure by inhalation to chemical agents and national guidance documents for methods for the determination of hazardous substances.		
Derived effect levels			
No DELs available.			
Predicted effect concentration	ons		
No PECs available.			
8.2 Exposure controls			
Appropriate engineering controls	contaminants. enclosures, loca	entilation should be sufficient to control worker exposure to airborne If this product contains ingredients with exposure limits, use process al exhaust ventilation or other engineering controls to keep worker any recommended or statutory limits.	
Individual protection measur	es		
Hygiene measures	eating, smoking Appropriate tec	prearms and face thoroughly after handling chemical products, before and using the lavatory and at the end of the working period. hniques should be used to remove potentially contaminated clothing. ated clothing before reusing.	
Eye/face protection		complying with an approved standard should be used when a risk licates this is necessary to avoid exposure to liquid splashes, mists,	
Skin protection			
Hand protection	be worn at all ti this is necessar protection agair breakthrough tii	ant, impervious gloves complying with an approved standard should mes when handling chemical products if a risk assessment indicates y. Reference number EN 374. Suitable for short time use or nst splashes: Butyl rubber/nitrile rubber gloves. (0,4 mm), me <30 min. Contaminated gloves should be removed. Suitable for osure: Viton gloves (0.4 mm), breakthrough time >30 min.	

SECTION 8: Exposure controls/personal protection

Sikadur 31 DW Comp. A

_	
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: Use barrier skin cream.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: No special measures required.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical	an	nd chemical properties
<u>Appearance</u>		
Physical state	:	Paste.
Colour	:	White.
Odour	:	Odourless.
Odour threshold	:	Not available.
рН	:	7.5 [Conc. (% w/w): 50%]
Melting point/freezing point	:	Not available.
Initial boiling point and boiling range	:	Not available.
Flash point	:	Closed cup: >101°C
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Burning time	:	Not applicable.
Burning rate	:	Not applicable.
Upper/lower flammability or explosive limits	:	Not available.
Vapour pressure	:	<0 kPa (<0.007 mm Hg)
Vapour density	:	Not available.
Density	:	~2 g/cm³ [20°C (68°F)]
Relative density	:	Not available.
Solubility(ies)		Insoluble in the following materials: water
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
Viscosity	:	Not available.
Explosive properties	:	Not available.
Oxidising properties	:	Not available.

9.2 Other information

No additional information.

Sikadur 31 DW Comp. A	17.05.2011 7/12			
SECTION 10: Stability and reactivity				
10.1 Reactivity	o specific test data related to reactivity available for this product or its ingredients.			
10.2 Chemical stability	e product is stable.			
10.3 Possibility of hazardous reactions	nder normal conditions of storage and use, hazardous reactions will not occur.			
10.4 Conditions to avoid	o specific data.			
10.5 Incompatible materials	o specific data.			
10.6 Hazardous decomposition products	nder normal conditions of storage and use, hazardous decomposition products ould not be produced.			

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
reaction product: bisphenol A-(epichlorhydrin) epoxy resin (number average molecular weight <= 700)	LD50 Dermal	Rabbit	>20000 mg/kg	-
	LD50 Oral	Rat	>5000 mg/kg	-
1,4-bis(2,3- epoxypropoxy)butane	LD50 Dermal	Rabbit	1130 mg/kg	-
	LD50 Oral	Rat	1134 mg/kg	-
Calcium carbonate	LD50 Oral	Rat	6450 mg/kg	-

Conclusion/Summary : Not available.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
reaction product: bisphenol A-(epichlorhydrin) epoxy resin (number average molecular weight <= 700)	Eyes - Mild irritant	Rabbit	-	100 milligrams	-
	Eyes - Moderate irritant	Rabbit	-	24 hours 20 milligrams	-
	Eyes - Severe irritant	Rabbit	-	24 hours 5 milligrams	-
	Skin - Moderate irritant	Rabbit	-	24 hours 500 microliters	-
	Skin - Severe irritant	Rabbit	-	24 hours 2 milligrams	-
1,4-bis(2,3- epoxypropoxy)butane	Eyes - Moderate irritant	Rabbit	-	100 milligrams	-
	Skin - Moderate irritant	Rabbit	-	24 hours 10 milligrams	-
Calcium carbonate	Eyes - Severe irritant	Rabbit	-	24 hours 750 Micrograms	-
	Skin - Moderate irritant	Rabbit	-	24 hours 500 milligrams	-
Conclusion/Summary	: Not available.				
<u>Sensitisation</u>					
Conclusion/Summary Mutagenicity	: Not available.				
Conclusion/Summary	: Not available.				
ate of issue	: 17.05.2011.	M	SDS no.	: 210204	7/1

17.05.2011 8/12

SECTION 11: Toxicological information

SECTION 11: Toxico	logical information
Carcinogenicity	
Conclusion/Summary	: Not available.
Reproductive toxicity	
Conclusion/Summary	: Not available.
Teratogenicity	
Conclusion/Summary	: Not available.
Information on the likely	: Not available.
routes of exposure	
Potential acute health effects	_
Eye contact	: Irritating to eyes.
Inhalation	: May cause irritation.
Skin contact Ingestion	 Irritating to skin. May cause sensitisation by skin contact. Irritating to mouth, throat and stomach.
ingestion	
Symptoms related to the phy	vsical, chemical and toxicological characteristics
Eye contact	: Adverse symptoms may include the following:
	irritation
	watering
	redness
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: irritation
	redness
Ingestion	: No specific data.
Delayed and immediate effect	cts and also chronic effects from short and long term exposure
<u>Short term exposure</u>	
Potential immediate	: Not available.
effects	
Potential delayed effects	: Not available.
Long term exposure	NUMERAL STREET
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health effe	<u>ects</u>
Not available.	
Conclusion/Summary	: Not available.
General	: Once sensitized, a severe allergic reaction may occur when subsequently exposed to
	very low levels.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.
Other information	. Natausilakla
Other information	: Not available.

Date of issue

SECTION 12: Ecological information

12.1 Toxicity

Conclusion/Summary : Not available.

12.2 Persistence and degradability

Conclusion/Summary : Not available.

12.3 Bioaccumulative potential

Product/ingredient name	LogP₀w	BCF	Potential
1,4-bis(2,3-	-0.15	-	low
epoxypropoxy)butane			

12.4 Mobility in soil	
Soil/water partition coefficient (K _{oc})	: Not available.
Mobility	: Not available.
12.5 Results of PBT and y	/PvR assessment

РВТ	: Not applicable.
vPvB	: Not applicable.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

TTOULOL	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
Hazardous waste	: packaging containing residues of or contaminated by dangerous substances

: packaging containing residues of or contaminated by dangerous substances

European waste catalogue (EWC)

Waste code	Waste designation
08 04 09*	waste adhesives and sealants containing organic solvents or other dangerous substances
Packaging	 Completely emptied packaging or practically empty packaging containing dried/cured residues, once relieved of all pressure can be disposed of as non-hazardous waste. Packaging may still contain hazardous residues and disposal should undertaken by a licensed waste contractor.
	Any disposal practice must be in compliance with local and national laws and regulations.

SECTION 14: Transport information

	ADR/RID - ADN/ADNR	IMDG	ΙΑΤΑ
14.1 UN number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name			
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.
14.6 Special precautions for user	Not available.	Not available.	Not available.
Additional information	-	-	-

14.7 Transport in bulk: Not available.according to Annex II ofMARPOL 73/78 and the IBCCode

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Substances	<u>of very high concern</u>	
NI	a success success a success listeral	

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Not applicable.
VOC content (EU)	: VOC (w/w): 0%
Other EU regulations	
REACH Information:	 All substances contained in Sika Products are preregistered or registered by our upstream suppliers, and/or preregistered or registered by Sika, and/or excluded from the regulation, and/or exempted from the registration.
Europe inventory	: All components are listed or exempted.
References	 Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (CHIP 4) Control of Substances Hazardous to Health Regulations 2002 (COSHH) (as amended) Health & Safety at Work Act 1974 The Environmental Protection (Duty of Care) Regulations 1991 Hazardous waste regulations 2005 The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2007

SECTION 15: Regulatory information

Sikadur 31 DW Comp. A

Guidance Publications	: Approved Code of Practice - Management of Health and Safety at Work, HSE General Approved Code of Practice to COSHH Regulations, HSE.
15.2 Chemical Safety Assessment	: This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

Indicates information that has a second s	as changed from previously issued version.		
Abbreviations and acronyms	: ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement PNEC = Predicted No Effect Concentration RRN = REACH Registration Number		
Full text of abbreviated H statements	 H312 Harmful in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H332 Harmful if inhaled. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. 		
Full text of classifications [CLP/GHS]	 Acute Tox. 4, H312 Acute Tox. 4, H322 Aquatic Chronic 2, H411 Aquatic Chronic 3, H412 Eye Irrit. 2, H319 Skin Irrit. 2, H315 Skin Sens. 1, H317 ACUTE TOXICITY: SKIN - Category 4 ACUTE TOXICITY: INHALATION - Category 4 ACUTE TOXICITY (CHRONIC) - Category 2 AQUATIC TOXICITY (CHRONIC) - Category 3 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2 SKIN CORROSION/IRRITATION - Category 2 		
Full text of abbreviated R phrases	 R20/21- Harmful by inhalation and in contact with skin. R36/38- Irritating to eyes and skin. R43- May cause sensitisation by skin contact. R51/53- Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R52/53- Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. 		
Full text of classifications [DSD/DPD]	: Xn - Harmful Xi - Irritant N - Dangerous for the environment		

<u>History</u>		
Date of printing	: 17.05.2011.	
Date of issue	: 17.05.2011.	
Date of previous issue	: 04.05.2011.	

Notice to reader

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II - United Kingdom (UK)

Sikadur-31 DW Comp B



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
Product name	: Sikadur-31 DW Comp B
Product type	: Liquid.

1.2 Relevant identified uses of the substance or mixture and uses advised against Not available.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Distributor	:	Sika Limited Watchmead Welwyn Garden City Hertfordshire. AL7 1BQ United Kingdom
Telephone no.	:	01707 394444
Fax no.	:	01707 329129
e-mail address of person responsible for this SDS	:	EHS@uk.sika.com
Emergency telephone number	:	+44 (0)1707 363899 (available during office hours).
1.4 Emergency telephone number <u>Supplier</u>		

lier

Telephone number: +44 (0)1707 363899 (available during office hours).

SECTION 2: Hazards identification

2.1 Classification of the su	bstance or mixture
Product definition	: Mixture
Classification according t	o Directive 1999/45/EC [DPD]
The product is classified a	s dangerous according to Directive 1999/45/EC and its amendments.
Classification	: C; R34 R43
Human health hazards	: Causes burns. May cause sensitisation by skin contact.
See Section 16 for the full to	ext of the R phrases or H statements declared above.
See Section 11 for more de	tailed information on health effects and symptoms.
2.2 Label elements	
Hazard symbol or symbol	s :
Indication of danger	: Corrosive
Risk phrases	: R34- Causes burns. R43- May cause sensitisation by skin contact.
Safety phrases	 S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S36/37/39- Wear suitable protective clothing, gloves and eye/face protection. S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

Date of issue	: 17.05.2011.	MSDS no. : 19565	1/11
---------------	---------------	-------------------------	------

SECTION 2: Hazards identification

Hazardous ingredients: Trimethylhexane-1,6-diamineSupplemental label: Not applicable.elements: Not applicable.

2.3 Other hazards

Sikadur-31 DW Comp B

Other hazards which do not : Not available. result in classification

SECTION 3: Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical family/ Characteristics	:	Filled and modified polyamine

		Clas	sification	Туре
Product/ingredient name Identifiers	%	67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	
Trimethylhexane-1,6-diamine EC: 247-134-8 CAS: 25620-58-0		Xn; R22 C; R34 R43 R52/53	Acute Tox. 4, H302 Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Chronic 3, H412	[1]
Calcium carbonate EC: 207-439-9 CAS: 471-34-1	>= 10 - < 20	Xi; R36/38	Skin Irrit. 2, H315 Eye Irrit. 2, H319	[1]
		See section 16 for the full text of the R-phrases declared above	See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

Туре

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact	: Get medical attention immediately. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.
Inhalation	: Get medical attention immediately. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus.
Skin contact	: Get medical attention immediately. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.
Ingestion	: Get medical attention immediately. Do not induce vomiting unless directed to do so by medical personnel. Chemical burns must be treated promptly by a physician. Maintain an open airway.

Sikadur-31 DW Comp B

SECTION 4: First aid measures					
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.				
4.2 Most important sympton	ns and effects, both acute and delayed				
Potential acute health effect	<u>zts</u>				
Eye contact	: Corrosive to eyes. Causes burns.				
Inhalation	: May give off gas, vapor or dust that is very irritating or corrosive to the respiratory system. Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.				
Skin contact	: Corrosive to the skin. Causes burns. May cause sensitisation by skin contact.				
Ingestion	: May cause burns to mouth, throat and stomach.				
<u>Over-exposure signs/symp</u>	<u>itoms</u>				
Eye contact	: Adverse symptoms may include the following: pain watering redness				
Inhalation	: No specific data.				
Skin contact	: Adverse symptoms may include the following: pain or irritation redness blistering may occur				
Ingestion	: Adverse symptoms may include the following: stomach pains				
4.3 Indication of any immedi	ate medical attention and special treatment needed				
Notes to physician	 In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. 				
Specific treatments	: No specific treatment.				

SECTION 5: Firefighting measures

5.1 Extinguishing media				
Suitable extinguishing media	:	Use an extinguishing agent suitable for the surrounding fire.		
Unsuitable extinguishing media	:	one known.		
5.2 Special hazards arising from	om	the substance or mixture		
Hazards from the substance or mixture	:	In a fire or if heated, a pressure increase will occur and the container may burst.		
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides		
5.3 Advice for firefighters Special protective actions for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.		

SECTION 5: Firefighting measures

Sikadur-31 DW Comp B

equipment for fire-fighters breathing apparatus (SCBA) with mode. Clothing for fire-fighters (ir	iate protective equipment and self-contained a full face-piece operated in positive pressure ncluding helmets, protective boots and gloves) I EN 469 will provide a basic level of protection for
--	--

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures						
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Do not breathe vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.					
For emergency responders	: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also Section 8 for additional information on hygiene measures.					
6.2 Environmental precautions	: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).					
6.3 Methods and materials for	containment and cleaning up					
Small spill	: Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container.					
Large spill	: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13).					
6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.					

SECTION 7: Handling and storage

7.1 Precautions for safe h	andling
Protective measures	: Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Do not get in eyes or on skin or clothing. Do not breathe vapour or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
7.2 Conditions for safe storage, including any incompatibilities	: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
7.3 Specific end use(s)	

 Date of issue
 : 17.05.2011.
 MSDS no. : 19565
 4/11

SECTION 7: Handling and storage

Recommendations: Not available.Industrial sector specific: Not available.solutions: Not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Product/ingredie	nt r	ame	Ехро	sure lim	it values		
Calcium carbonate			EH40/2005 WELs (United Kingdom (UK), 8/2007). TWA: 10 mg/m ³ 8 hour(s). Form: inhalable dust TWA: 4 mg/m ³ 8 hour(s). Form: respirable dust				
procedures atmosphere or of the ventilation protective equi methods for the			ontains ingredients with exposibility of the provident of	required nd/or the made to I nhalation	to determine the necessity to use European Standa to chemical agei	effectiveness respiratory rd EN 689 for nts and	
Derived effect levels No DELs available.							
Predicted effect concentrati No PECs available.	ions	2					
8.2 Exposure controls							
Appropriate engineering controls	:	local exhaust ve	ns generate dust, fumes, gas, entilation or other engineering ninants below any recommen	controls	to keep worker e		
Individual protection measu	res						
Hygiene measures	:	eating, smoking Appropriate tec	prearms and face thoroughly a and using the lavatory and a hniques should be used to re ated clothing before reusing.	at the end move po	l of the working pe	eriod.	
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.					
Skin protection							
Hand protection	:	be worn at all ti this is necessar protection again breakthrough ti	ant, impervious gloves comp mes when handling chemical y. Reference number EN 37 nst splashes: Butyl rubber/nit me <30 min. Contaminated osure: Viton gloves (0.4 mm)	products 4. Suital rile rubbe gloves sh	s if a risk assessm ble for short time er gloves. (0,4 m nould be removed	nent indicates use or n), I. Suitable for	
Body protection	:	being performe	ctive equipment for the body s d and the risks involved and s this product. Recommended	should be	e approved by a s	pecialist	
Other skin protection	:	based on the ta	twear and any additional skin sk being performed and the r pre handling this product.				
Respiratory protection	:	No special mea	sures required.				
Environmental exposure controls	:	they comply wit cases, fume sc	ventilation or work process e h the requirements of environ rubbers, filters or engineering ry to reduce emissions to acc	nmental p modifica	protection legislati ations to the proce	on. In some	
Data of jaqua		47.05.2044			. 10565	E/4.4	

 Date of issue
 : 17.05.2011.
 MSDS no. : 19565
 5/11

Sikadur-31 DW Comp B

SECTION 8: Exposure controls/personal protection

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Appearance		
Physical state	:	Paste.
Colour	:	Black.
Odour	:	Amine-like.
Odour threshold	:	Not available.
рН	:	11 [Conc. (% w/w): 50%]
Melting point/freezing point	:	Not available.
Initial boiling point and boiling range	:	Not available.
Flash point	:	Closed cup: >101°C
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Burning time	:	Not applicable.
Burning rate	:	Not applicable.
Upper/lower flammability or explosive limits	:	Not available.
Vapour pressure	:	0 kPa (0.225 mm Hg)
Vapour density	:	Not available.
Density	:	~1.95 g/cm³ [20°C (68°F)]
Relative density	:	Not available.
Solubility(ies)	:	Insoluble in the following materials: water
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
Viscosity	:	Not available.
Explosive properties	:	Not available.
Oxidising properties	:	Not available.

: 17.05.2011.

9.2 Other information

Date of issue

No additional information.

SECTION 10: Stability and reactivity					
10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.				
10.2 Chemical stability	: The product is stable.				
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.				
10.4 Conditions to avoid	: No specific data.				
10.5 Incompatible materials	: No specific data.				
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.				

MSDS no. : 19565

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Calcium carbonate	LD50 Oral	Rat	6450 mg/kg	-
			•	·

Conclusion/Summary : Not available.

Irritation/Corrosion

Product/ingredient name		Result	Species	Score	Exposure	Observation
Calcium carbonate	E	yes - Severe irritant	Rabbit	-	24 hours 750	-
					Micrograms	
	S	kin - Moderate irritant	Rabbit	-	24 hours 500 milligrams	-
		NI-C			mingrams	
Conclusion/Summary	:	Not available.				
Sensitisation		Natavallahla				
Conclusion/Summary	·	Not available.				
<u>Mutagenicity</u> Conclusion/Summary		Not available.				
<u>Carcinogenicity</u>	•	NUL avallable.				
Conclusion/Summary		Not available.				
<u>Reproductive toxicity</u>	•	Not available.				
Conclusion/Summary		Not available.				
<u>Teratogenicity</u>	•					
Conclusion/Summary		Not available.				
Conclusion/Cummury	•					
Information on the likely routes of exposure	:	Not available.				
Potential acute health effects						
Eye contact	-	Corrosive to eyes. Causes by	urns			
Inhalation		May give off gas, vapor or du		itating or	corrosive to the	respiratory
	•	system. May cause irritation.		itating of		reopilatory
Skin contact	:	Corrosive to the skin. Causes	s burns. May c	ause sens	sitisation by skin	contact.
Ingestion	:	May cause burns to mouth, th	nroat and stoma	ach.		
Symptoms related to the phy	sic	al, chemical and toxicologic	al characterist	ics		
Eye contact	:	Adverse symptoms may inclu	ude the following	g:		
		pain				
		watering				
•		watering redness				
Inhalation	:	redness				
-		0	ude the following	g:		
Inhalation		redness No specific data. Adverse symptoms may inclu pain or irritation	ude the following	g:		
Inhalation		redness No specific data. Adverse symptoms may inclu pain or irritation redness	ude the following	g:		
Inhalation Skin contact	:	redness No specific data. Adverse symptoms may inclu pain or irritation redness blistering may occur		-		
Inhalation	:	redness No specific data. Adverse symptoms may inclu pain or irritation redness		-		
Inhalation Skin contact	:	redness No specific data. Adverse symptoms may inclu pain or irritation redness blistering may occur Adverse symptoms may inclu stomach pains	ude the following	g:	<u>xposure</u>	
Inhalation Skin contact Ingestion	:	redness No specific data. Adverse symptoms may inclu pain or irritation redness blistering may occur Adverse symptoms may inclu stomach pains	ude the following	g:	exposure	
Inhalation Skin contact Ingestion <u>Delayed and immediate effec</u>	: :	redness No specific data. Adverse symptoms may inclu pain or irritation redness blistering may occur Adverse symptoms may inclu stomach pains	ude the following	g:	exposure	
Inhalation Skin contact Ingestion <u>Delayed and immediate effec</u> <u>Short term exposure</u> Potential immediate	: : :	redness No specific data. Adverse symptoms may inclu- pain or irritation redness blistering may occur Adverse symptoms may inclu- stomach pains	ude the following	g:	exposure	
Inhalation Skin contact Ingestion <u>Delayed and immediate effec</u> <u>Short term exposure</u> Potential immediate effects	: : :	redness No specific data. Adverse symptoms may inclu- pain or irritation redness blistering may occur Adverse symptoms may inclu- stomach pains and also chronic effects from Not available.	ude the following	g:	xposure	
Inhalation Skin contact Ingestion <u>Delayed and immediate effec</u> <u>Short term exposure</u> Potential immediate effects Potential delayed effects	: : : :	redness No specific data. Adverse symptoms may inclu- pain or irritation redness blistering may occur Adverse symptoms may inclu- stomach pains and also chronic effects from Not available.	ude the following	g:	<u>xposure</u>	

SECTION 11: Toxicological information

Potential delayed effects	: Not available.
Potential chronic health effe	ects
Not available.	
Conclusion/Summary	: Not available.
General	: Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

Other information

: Not available.

SECTION 12: Ecological information 12.1 Toxicity **Conclusion/Summary** : Not available. 12.2 Persistence and degradability **Conclusion/Summary** : Not available. 12.3 Bioaccumulative potential Not available. 12.4 Mobility in soil Soil/water partition : Not available. coefficient (Koc) Mobility : Not available. 12.5 Results of PBT and vPvB assessment PBT : Not applicable. vPvB : Not applicable. 12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
<u>Product</u>	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
Hazardous waste	: packaging containing residues of or contaminated by dangerous substances
<u>European waste catalogue (</u>	EWC)

SECTION 13: Disposal considerations

	Waste code	Waste designation
	08 04 09*	waste adhesives and sealants containing organic solvents or other dangerous substances
Packaging		: Completely emptied packaging or practically empty packaging containing dried/cured residues, once relieved of all pressure can be disposed of as non-hazardous waste.

Packaging may still contain hazardous residues and disposal should undertaken by a licensed waste contractor.

Any disposal practice must be in compliance with local and national laws and regulations.

SECTION 14: Transport information

•					
	ADR/RID - ADN/ADNR	IMDG	IATA		
14.1 UN number	UN1759	UN1759	UN1759		
14.2 UN proper shipping name	Corrosive solid, n.o.s. Trimethylhexamethylenediamines	Corrosive solid, n.o.s. Trimethylhexamethylenediamines	Corrosive solid, n.o.s. Trimethylhexamethylenediamines		
14.3 Transport hazard class(es)	8	8	8		
14.4 Packing group	Ш	III	III		
14.5 Environmental hazards	No.	No.	No.		
14.6 Special precautions for user	Not available.	Not available.	Not available.		
Additional information	Tunnel code (E)	Emergency schedules (EmS) F-A, S-B	-		

14.7 Transport in bulk: Not available.according to Annex II ofMARPOL 73/78 and the IBCCode

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU Regulation (EC) No. 1907/2006 (REACH)</u>

Annex XIV - List of substances subject to authorisation				
Substances of very high concern				
None of the components a	re	listed.		
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	Not applicable.		
VOC content (EU)	:	VOC (w/w): 0%		
Other EU regulations				

Date of issue

: 17.05.2011.

SECTION 15: Regulatory information

Sikadur-31 DW Comp B

J	j
REACH Information:	 All substances contained in Sika Products are preregistered or registered by our upstream suppliers, and/or preregistered or registered by Sika, and/or excluded from the regulation, and/or exempted from the registration.
Europe inventory	: All components are listed or exempted.
References	: Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (CHIP 4)
	Control of Substances Hazardous to Health Regulations 2002 (COSHH) (as amended) Health & Safety at Work Act 1974
	The Environmental Protection (Duty of Care) Regulations 1991
	Hazardous waste regulations 2005 The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2007
Guidance Publications	: Approved Code of Practice - Management of Health and Safety at Work, HSE General Approved Code of Practice to COSHH Regulations, HSE.
15.2 Chemical Safety Assessment	: This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

✓ Indicates information that has changed from previously issued version.

Abbreviations and acronyms	ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.	
	1272/2008] DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement PNEC = Predicted No Effect Concentration RRN = REACH Registration Number	
Full text of abbreviated H statements	 H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects. 	
Full text of classifications [CLP/GHS]	Acute Tox. 4, H302ACUTE TOXICITY: ORAL - Category 4Aquatic Chronic 3, H412AQUATIC TOXICITY (CHRONIC) - Category 3Eye Irrit. 2, H319SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 18Skin Corr. 1B, H314SKIN CORROSION/IRRITATION - Category 1BSkin Irrit. 2, H315SKIN CORROSION/IRRITATION - Category 2Skin Sens. 1, H317SKIN SENSITIZATION - Category 1	ory 2
Full text of abbreviated R phrases	 R22- Harmful if swallowed. R34- Causes burns. R36/38- Irritating to eyes and skin. R43- May cause sensitisation by skin contact. R52/53- Harmful to aquatic organisms, may cause long-term adverse effects in a quatic environment. 	the
Full text of classifications [DSD/DPD]	C - Corrosive Xn - Harmful Xi - Irritant	
<u>History</u>		
Date of printing	17.05.2011.	
Date of issue	17.05.2011.	
Date of previous issue	04.05.2011.	
Date of issue	17.05.2011. MSDS no. : 19565	10/11

SECTION 16: Other information

Notice to reader

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.