



Weight-for-age percentiles: Girls 2-20 years

Cerebral Palsy Group 1* (solid), General Population (dashed)



*Group 1: Walks well alone at least 20 feet, balances well.


Height-for-age percentiles: Girls 2-20 years Cerebral Palsy Group 1* (solid), General Population (dashed)



*Group 1: Walks well alone at least 20 feet, balances well.

BMI-for-age percentiles: Girls 2-20 years


Cerebral Palsy Group 1* (solid), General Population (dashed)



*Group 1: Walks well alone at least 20 feet, balances well.

Weight-for-age percentiles: Girls 2-20 years


Cerebral Palsy Group 2* (solid), General Population (dashed)



*Group 2: Walks with support or unsteadily alone at least 10 feet.

Height-for-age percentiles: Girls 2-20 years


Cerebral Palsy Group 2* (solid), General Population (dashed)



*Group 2: Walks with support or unsteadily alone at least 10 feet.

BMI-for-age percentiles: Girls 2-20 years


Cerebral Palsy Group 2* (solid), General Population (dashed)



*Group 2: Walks with support or unsteadily alone at least 10 feet.


Weight-for-age percentiles: Girls 2-20 years

Cerebral Palsy Group 3* (solid), General Population (dashed)



*Group 3: Crawls, creeps or scoots, but does not walk.


Height-for-age percentiles: Girls 2-20 years Cerebral Palsy Group 3* (solid), General Population (dashed)



*Group 3: Crawls, creeps or scoots, but does not walk.

BMI-for-age percentiles: Girls 2-20 years


Cerebral Palsy Group 3* (solid), General Population (dashed)



*Group 3: Crawls, creeps or scoots, but does not walk.

Weight-for-age percentiles: Girls 2-20 years


Cerebral Palsy Group 4* (solid), General Population (dashed)



*Group 4: Does not walk, crawl, creep or scoot; Does not feed self; No feeding tube.

Height-for-age percentiles: Girls 2-20 years


Cerebral Palsy Group 4* (solid), General Population (dashed)



*Group 4: Does not walk, crawl, creep or scoot; Does not feed self; No feeding tube.

BMI-for-age percentiles: Girls 2-20 years


Cerebral Palsy Group 4* (solid), General Population (dashed)



*Group 4: Does not walk, crawl, creep or scoot; Does not feed self; No feeding tube.

Weight-for-age percentiles: Girls 2-20 years


Cerebral Palsy Group 5* (solid), General Population (dashed)



*Group 5: Does not walk, crawl, creep or scoot; Does not feed self; Feeding tube.

Height-for-age percentiles: Girls 2-20 years


Cerebral Palsy Group 5* (solid), General Population (dashed)



*Group 5: Does not walk, crawl, creep or scoot; Does not feed self; Feeding tube.

BMI-for-age percentiles: Girls 2-20 years


Cerebral Palsy Group 5* (solid), General Population (dashed)



*Group 5: Does not walk, crawl, creep or scoot; Does not feed self; Feeding tube.

Weight-for-age percentiles: Boys 2-20 years


Cerebral Palsy Group 1* (solid), General Population (dashed)



*Group 1: Walks well alone at least 20 feet, balances well.

Height-for-age percentiles: Boys 2-20 years


Cerebral Palsy Group 1* (solid), General Population (dashed)



*Group 1: Walks well alone at least 20 feet, balances well.

BMI-for-age percentiles: Boys 2-20 years


Cerebral Palsy Group 1* (solid), General Population (dashed)



*Group 1: Walks well alone at least 20 feet, balances well.

Weight-for-age percentiles: Boys 2-20 years


Cerebral Palsy Group 2* (solid), General Population (dashed)



*Group 2: Walks with support or unsteadily alone at least 10 feet.

Height-for-age percentiles: Boys 2-20 years


Cerebral Palsy Group 2* (solid), General Population (dashed)



*Group 2: Walks with support or unsteadily alone at least 10 feet.

BMI-for-age percentiles: Boys 2-20 years


Cerebral Palsy Group 2* (solid), General Population (dashed)



*Group 2: Walks with support or unsteadily alone at least 10 feet.

Weight-for-age percentiles: Boys 2-20 years


Cerebral Palsy Group 3* (solid), General Population (dashed)



*Group 3: Crawls, creeps or scoots, but does not walk.

Height-for-age percentiles: Boys 2-20 years


Cerebral Palsy Group 3* (solid), General Population (dashed)



*Group 3: Crawls, creeps or scoots, but does not walk.


BMI-for-age percentiles: Boys 2-20 years

Cerebral Palsy Group 3* (solid), General Population (dashed)



*Group 3: Crawls, creeps or scoots, but does not walk.


Weight-for-age percentiles: Boys 2-20 years Cerebral Palsy Group 4* (solid), General Population (dashed)



*Group 4: Does not walk, crawl, creep or scoot; Does not feed self; No feeding tube.

Height-for-age percentiles: Boys 2-20 years


Cerebral Palsy Group 4* (solid), General Population (dashed)



*Group 4: Does not walk, crawl, creep or scoot; Does not feed self; No feeding tube.

BMI-for-age percentiles: Boys 2-20 years


Cerebral Palsy Group 4* (solid), General Population (dashed)



*Group 4: Does not walk, crawl, creep or scoot; Does not feed self; No feeding tube.

Weight-for-age percentiles: Boys 2-20 years


Cerebral Palsy Group 5* (solid), General Population (dashed)



*Group 5: Does not walk, crawl, creep or scoot; Does not feed self; Feeding tube.

Height-for-age percentiles: Boys 2-20 years


Cerebral Palsy Group 5* (solid), General Population (dashed)



*Group 5: Does not walk, crawl, creep or scoot; Does not feed self; Feeding tube.

BMI-for-age percentiles: Boys 2-20 years

Cerebral Palsy Group 5* (solid), General Population (dashed)



*Group 5: Does not walk, crawl, creep or scoot; Does not feed self; Feeding tube.